

CAMINHÕES E VEÍCULOS CICLO DIESEL VOLKSWAGEN CAMINHÕES E ÔNIBUS - FEVEREIRO/2024

Nº	Marca/Modelo/Versão	Marca/Modelo do Motor	rpm corte min	rpm corte	rpm corte MAX	rpm M L min	rpm M L	rpm M L max	Acima de 350m do Nível do Mar	Relatório de Ruído	rpm Ens Ruído	Lim Ruído
1	VW/13.160/DRC 6X2 /1	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,7	-	1950	86,38
2	VW/19.330/CTC 4X2 /1	ISL8.9 330 P7-1	2250	2350	2450	650	750	850	0,7	-	1575	95,77
3	VW/30.280/CRM 8X2 /1	D0836 LF13	2650	2750	2850	600	700	800	0,7	-	1725	94,83
4	VW/10.160/DRC 4X2.PLUS /1	ISF 3.8 160 P7-1	2750	2850	2950	600	700	800	0,9	-	1950	86,38
5	VW/10.160/DRC 6X2.PLUS /1	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	1950	86,38
6	VW/8.160/DRC.4X2 . /1	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	1950	91,67
7	VW/5.150/OD. /1	ISF 3.8 150 P7-2	2750	2850	2950	650	750	850	0,9	-	NA	NA
8	VW/19.420/CTC 4X2. /1	ISL 8.9 420 P7-1	2280	2380	2480	650	750	850	0,7	-	1575	96,47
9	VW/25.420/CTC 6X2 /1	ISL 8.9 420 P7-1	2280	2380	2480	650	750	850	0,7	-	1575	96,47
10	VW/26.420/CTC 6X4. /1	ISL 8.9 420 P7-1	2280	2380	2480	650	750	850	0,7	-	1575	96,47
11	VW/12.190/EOD ESC 4X2 /1	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
12	VW/12.190/EOD ESC HD ORE /1	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
13	VW/12.190/OD ESC SUP ORE /1	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
14	VW/16.230/OT. LE S /1	D0834 LOH 10	2650	2750	2850	600	700	800	0,9	-	NA	NA
15	VW/31.390/CRC. 6X4 /1	ISL 8.9 400	2350	2450	2550	650	750	850	0,7	-	1725	89,10
16	VW/8.160/OD 4X4. /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	NA	NA
17	VW/DDL/GRAN. /1	ISF 3.8 150 P7-2	2750	2850	2950	650	750	850	0,9	-	1950	91,32
18	VW/MIN/GRAN. /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
19	VW/MIN/POWER. /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
20	VW/MPOLO 8.160 OD/PB HD /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
21	VW/MPOLO 9.160 OD/PB HD /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
22	VW/30.330/CRC 8X2 /1	ISL8.9 330 P7-1	2750	2850	2950	650	750	850	0,9	-	1575	92,87
23	VW/17.260/CRM 4X2 /1	D0836 LF13	2650	2750	2850	550	650	750	0,9	-	1575	92,83
24	VW/24.260/CRM 6X2. /1	D0836 LF13	2650	2750	2850	550	650	750	0,9	-	1575	92,83
25	VW/17.260/CRM 4X2 4P /2	D0836 LF13	2650	2750	2850	550	650	750	0,7	-	1725	89,13
26	VW/24.260/CRM 6X2 4P /1	D0836 LF13	2650	2750	2850	550	650	750	0,9	-	1575	92,83
27	VW/24.260/CRM 6X2 4P /2	D0836 LF13	2650	2750	2850	550	650	750	0,9	-	1725	89,13
28	VW/17.260/CRM 4X2 4P /1	D0836 LF13	2650	2750	2850	550	650	750	0,7	-	1575	92,83
29	VW/17.260/OD /2	D0836 LOF01	2630	2730	2830	500	600	700	0,7	-	NA	NA
30	VW/MPOLO MICRO PB/ESC /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
31	VW/MPOLO MINI PB/ESC /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
32	VW/24.330/CRC 6X2 VTR /1	ISL8.9 330 P7-1	2270	2370	2470	650	750	850	0,9	-	1575	92,33
33	VW/24.260/CRM 6X2 /2	D0836 LF13	2610	2710	2810	500	600	700	0,9	-	1725	89,13
34	VW/17.260/CRM 4X2 /2	D0836 LF13	2610	2710	2810	500	600	700	0,7	-	1725	87,30
35	VW/COMIL MINI/ESC /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
36	VW/MASC MINI/ESC /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
37	VW/MASC MICRO/ESC /1	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
38	VW/NEOBUS/MINI/ESC /1	ISF 3.8 160 P7-1	2700	2800	2900	650	750	850	0,7	-	1950	81,47
39	VW/15.230/OT /2	D0834 LOH 10	2650	2750	2850	600	700	800	0,9	-	NA	NA
40	VW/16.230/OT /1	D0834 LOH 10	2650	2750	2850	600	700	800	0,9	-	NA	NA
41	VW/17.260/CRM 4X2 /3	D0836 LF14	2610	2710	2810	500	600	700	0,7	-	1725	89,13
42	VW/17.260/CRM 4X2 /4	D0836 LF14	2610	2710	2810	500	600	700	0,7	-	1575	92,83
43	VW/17.260/CRM 4X2 4P /3	D0836 LF14	2610	2710	2810	500	600	700	0,7	-	1725	89,13
44	VW/17.260/CRM 4X2 4P /4	D0836 LF14	2610	2710	2810	500	600	700	0,7	-	1725	89,13
45	VW/24.260/CRM 6X2 4P /3	D0836 LF14	2610	2710	2810	500	600	700	0,9	-	1725	89,13
46	VW/24.260/CRM 6X2 4P /4	D0836 LF14	2610	2710	2810	500	600	700	0,9	-	1575	92,83
47	VW/11.180/DRC 4X2 /1	ISF3.8 175 P7-0	2750	2850	2950	650	750	850	0,7	-	1950	87,37
48	VW/8.170/DRC 4X2 /1	ISF3.8 165 P7-0	2750	2850	2950	650	750	850	0,7	-	1575	87,37
49	VW/24.260/CRM 6X2 /5	D0836 LF14	2650	2750	2850	550	650	750	0,9	-	1725	89,13

50	VW/24.260/CRM 6X2 /6	ISF3.8 165 P7-0	2780	2880	2980	650	750	850	0,7	-	1950	90,93
51	VW/9.170/DRC 4X2 /1	ISF3.8 165 P7-0	2780	2880	2980	650	750	850	0,7	-	1950	90,93
52	VW/6.160/DRC 4X2 /2	ISF2.8 155 P7-0	3850	3950	4050	640	740	840	0,7	-	2400	91,40
53	VW/MPOLO MICRO/ESC /1	ISF 3.8 160 P7-1	2747	2847	2947	650	750	850	0,7	-	1950	77,37
54	VW/10.160/OD 4X2 /2	ISF 3.8 160 P7-1	2747	2847	2947	650	750	850	0,7	-	NA	NA
55	VW/32.360/CRC 6X4 /1	ISL8.9 360 P7-0	2300	2400	2500	650	750	850	0,7	-	1575	93,43
56	VW/4.150 DRC/4X2 /3	ISF3.8 175 P7-0	2950	3050	3150	650	750	850	0,7	-	1950	88,50
57	VW/13.180 DRC/6X2 /1	ISF3.8 175 P7-0	2950	3050	3150	650	750	850	0,7	-	1950	88,50
58	VW/9.160/CE /3	ISF 3.8 160 P7-1	2760	2860	2960	640	740	840	0,9	-	NA	NA
59	VW/31.280/CRM 6X4 /2	D0836 LF13	2650	2750	2850	650	750	850	0,9	-	1725	86,70
60	VW/4.160/DRC 4X2 /1	ISF2.8 155 P7-0	3860	3960	4060	650	750	850	0,7	-	2400	90,23
61	VW/26.260 CRM/6X4 /1	D0836 LF14	2620	2720	2820	500	600	700	0,9	-	1725	90,83
62	VW/30.280/CRM 8X2 /2	D0836 LF13	2650	2750	2850	600	700	800	0,7	-	1725	96,73
63	VW/17.280/CRM 4X2 /2	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1725	94,57
64	VW/24.280/CRM 6X2 /2	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1725	94,57
65	VW/17.330/CRM 4X2 /1	ISL8.9 330 P7-1	2260	2360	2460	640	740	840	0,7	-	1575	94,43
66	VW/14.190/CRM 4X2 /4	D0834 LF02	2680	2780	2880	630	730	830	0,9	-	1800	94,23
67	VW/24 330/CRC 6X2 /1	ISL8.9 330 P7-1	2260	2360	2460	640	740	840	0,7	-	1575	94,43
68	VW/9.160/OD /2	ISF 3.8 160 P7-1	2760	2860	2960	640	740	840	0,9	-	NA	NA
69	VW/17.190/CRM 4X2-ROB /1	D0834 LF02	2680	2780	2880	630	730	830	0,9	-	1800	94,23
70	VW/14.190/CRM 4X2 4P /3	D0834 LOF02	2680	2780	2880	630	730	830	0,9	-	1800	94,23
71	VW/17.190/CRM 4X2-ROB 4P /4	D0834 LF02	2680	2780	2880	630	730	830	0,9	-	1800	94,23
72	VW/17.330/CRC 4X2 /3	ISL8.9 330 P7-1	2260	2360	2460	640	740	840	0,7	-	1575	94,43
73	MAN/TGX 28.440/6X2 T	D2676 LF23	2050	2150	2250	500	600	700	1,2	-	1950	91,67
74	MAN/TGX 28.480/6X2 T	D2676 LF23	2050	2150	2250	500	600	700	1,2	-	1950	91,67
75	MAN/TGX 29.440/6X4 T	D2676 LF28	2050	2150	2250	500	600	700	1,2	-	1500	95,37
76	MAN/TGX 29.480/6X4 T	D2676 LF23	2050	2150	2250	500	600	700	1,2	-	1950	91,67
77	MAN/TGX 33.440/6X4 T	D2676 LF28	2050	2150	2250	500	600	700	1,2	-	1500	95,37
78	MAN/TGX 33.480/6X4 T	D2676 LF23	2050	2150	2250	500	600	700	1,2	-	1950	91,67
79	VW/10.160/DRC 4X2	ISF3.8 160 P7-0	2750	2850	2950	650	750	850	0,9	-	1950	91,67
80	VW/10.160/DRC 4X2 - PLUS	ISF3.8 160 P7-0	2750	2850	2950	650	750	850	0,9	-	1950	86,38
81	VW/10.160/DRC 4X2.	ISF3.8 160 P7-2	2750	2850	2950	650	750	850	0,9	-	1950	91,67
82	VW/10.160/DRC 4X2.PLUS	ISF 3.8 160 P7-1	2750	2850	2950	600	700	800	0,9	-	1950	86,38
83	VW/10.160/DRC 6X2 - PLUS	ISF3.8 160 P7-0	2750	2850	2950	650	750	850	0,9	-	1950	86,38
84	VW/10.160/DRC 6X2.PLUS	ISF 3.8 160 P7-1	2747	2847	2947	650	750	850	0,9	-	NA	NA
85	VW/10.160/OD 4X2	ISF 3.8 160 P7-1	2747	2847	2947	650	750	850	0,7	-	NA	NA
86	VW/11.180/DRC 4X2	ISF3.8 175 P7-0	2750	2850	2950	650	750	850	0,7	-	1950	87,37
87	VW/12.190/EOD ESC 4X2	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
88	VW/12.190/EOD ESC HD ORE	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
89	VW/12.190/OD 4X2	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	NA	NA
90	VW/12.190/OD 4X4	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	NA	NA
91	VW/12.190/OD ESC SUP ORE	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
92	VW/13 190/CRM 4X2 4P.	D0834 LF02	2750	2850	2950	600	700	800	0,9	-	1800	97,83
93	VW/13.160/DRC 6X2	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	1950	86,38
94	VW/13.180 DRC/6X2	ISF3.8 175 P7-0	2950	3050	3150	650	750	850	0,7	-	1950	88,50
95	VW/13.190/CRM 4X2	D0834 LF02	2750	2850	2950	600	700	800	0,9	-	1800	97,83
96	VW/13.190/WORKER	D0834 LF02	2750	2850	2950	600	700	800	0,9	-	1800	97,83
97	VW/15.190/CRM 4X2 4P	D0834 LF02	2750	2850	2950	600	700	800	0,9	-	1800	97,83
98	VW/15.190/CRM 4X2.	D0834 LF02	2750	2850	2950	600	700	800	0,7	-	1800	97,83
99	VW/15.190/EOD ESC.HD ORE	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
100	VW/15.190/EOD.ESC.S ORE	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
101	VW/15.190/OD 4X4	D0834 LOF01	2750	2850	2950	650	750	850	0,9	-	NA	NA

102	VW/15.190/OD ESC.HD.ORE	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
103	VW/15.190/ODR	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	NA	NA
104	VW/15.190/ODR PLUS	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	NA	NA
105	VW/15.190/WORKER	D0834 LF02	2750	2850	2950	600	700	800	0,9	-	1800	97,83
106	VW/15.230/OT	D0834 LOH 10	2650	2750	2850	650	750	850	0,9	-	NA	NA
107	VW/15.230/OT LE	D0834 LOH 10	2650	2750	2850	550	650	750	0,9	-	NA	NA
108	VW/15.230/OT LE ESCOLAR	D0834 LOH 10	2650	2750	2850	550	650	750	0,9	-	1800	93,17
109	VW/16.230/OT	D0834 LOH 10	2650	2750	2850	600	700	800	0,9	-	NA	NA
110	VW/16.230/OT LE	D0834 LOH 10	2650	2750	2850	600	700	800	0,9	-	NA	NA
111	VW/16.230/OT. LE S	D0834 LOH 10	2650	2750	2850	600	700	800	0,9	-	NA	NA
112	VW/17.190/CRM 4X2 4P	D0834 LF02	2750	2850	2950	600	700	800	0,9	-	1800	97,83
113	VW/17.190/CRM4X2	D0834 LF02	2750	2850	2950	600	700	800	0,9	-	1800	97,83
114	VW/17.190/WORKER	D0834 LF02	2750	2850	2950	600	700	800	0,9	-	1800	97,83
115	VW/17.230/CRM 4X2 4P.	D0834 LF05	2650	2750	2850	600	700	800	0,9	-	1800	96,43
116	VW/17.230/CRM 4X2.	D0834 LF05	2650	2750	2850	600	700	800	0,9	-	1800	96,43
117	VW/17.230/OD	D0834 LOF02	2650	2750	2850	550	650	750	0,9	-	NA	NA
118	VW/17.230/WORKER 4X2	D0834 LF05	2650	2750	2850	550	650	750	0,9	-	1800	93,17
119	VW/17.230/WORKER 4X2 DTR	D0834 LF05	2650	2750	2850	550	650	750	0,9	-	1800	93,17
120	VW/17.260/CRM 4X2	D0836 LF13	2610	2710	2810	500	600	700	0,7	-	1725	87,30
121	VW/17.260/CRM 4X2	D0836 LF13	2610	2710	2810	500	600	700	0,7	-	1725	87,30
122	VW/17.260/CRM 4X2 4P	D0836 LF13	2650	2750	2850	550	650	750	0,7	-	1725	89,13
123	VW/17.260/CRM4X2 4P	D0836 LF13	2650	2750	2850	550	650	750	0,7	-	1575	92,83
124	VW/17.260/OD	D0836 LF14	2630	2730	2830	500	600	700	0,7	-	NA	NA
125	VW/17.260/OD PLUS.	D0836 LOF01	2630	2730	2830	500	600	700	0,9	-	NA	NA
126	VW/17.280 OT/LOW ENTRY	D0836 LOH10	2650	2750	2850	600	700	800	0,9	-	NA	NA
127	VW/17.280/CRM 4X2	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1725	98,83
128	VW/17.280/CRM 4X2 4P	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1725	98,83
129	VW/17.280/CTM 4X2	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1725	98,83
130	VW/17.280/LOW ENTRY	D0836 LOH10	2650	2750	2850	600	700	800	0,9	-	NA	NA
131	VW/17.280/OT	D0836 LOH10	2650	2750	2850	500	600	700	0,9	-	NA	NA
132	VW/17.330/CRC 4X2	ISL8.9 330 P7-1	2250	2350	2450	650	750	850	0,7	-	1650	95,53
133	VW/18.280/OT LE VTR	D0836 LOH10	2650	2750	2850	500	600	700	0,9	-	NA	NA
134	VW/18.280/OT LOW ENTRY	D0836 LOH10	2600	2700	2800	500	600	700	0,9	-	NA	NA
135	VW/18.330/OT	ISL 8.9 330 P7-0	2250	2350	2450	650	750	850	0,7	-	NA	NA
136	VW/19.330/CTC 4X2	ISL8.9 330 P7-1	2250	2350	2450	650	750	850	0,7	-	1575	95,77
137	VW/19.360/CTC 4X2	ISL8.9 360 P7-0	2250	2350	2450	650	750	850	0,9	-	1725	89,10
138	VW/19.390/CTC 4X2	ISL 8.9 400	2350	2450	2550	650	750	850	0,7	-	1725	89,10
139	VW/19.420/CTC 4X2	ISL8.9 420 P7-0	2350	2450	2550	650	750	850	0,7	-	1725	95,77
140	VW/19.420/CTC 4X2.	ISL 8.9 420 P7-1	2280	2380	2480	650	750	850	0,7	-	1575	96,47
141	VW/23.230/CRM 6X2 4P.	D0834 LF05	2650	2750	2850	600	700	800	0,9	-	1800	96,43
142	VW/23.230/CRM 6X2 DTR 4P	D0834 LF05	2650	2750	2850	600	700	800	0,9	-	1800	96,43
143	VW/23.230/CRM 6X2 DTR.	D0834 LF05	2650	2750	2850	600	700	800	0,9	-	1800	96,43
144	VW/23.230/CRM 6X2.	D0834 LF05	2650	2750	2850	600	700	800	0,9	-	1800	96,43
145	VW/23.230/WORKER 6X2	D0834 LF05	2650	2750	2850	550	650	750	0,9	-	1800	93,17
146	VW/23.230/WORKER 6X2 DTR	D0834 LF05	2650	2750	2850	550	650	750	0,9	-	1800	93,17
147	VW/24.260/CRM 6X2	D0836 LF13	2650	2750	2850	500	600	700	0,9	-	1575	92,83
148	VW/24.260/CRM 6X2	D0836 LF13	2650	2750	2850	500	600	700	0,9	-	1725	89,13
149	VW/24.260/CRM 6X2 4P	D0836 LF13	2650	2750	2850	550	650	750	0,7	-	1575	92,83
150	VW/24.260/CRM 6X2./1	D0836 LF13	2650	2750	2850	550	650	750	0,9	-	1575	92,83
151	VW/24.280/CRM 6X2	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1725	98,83
152	VW/24.280/CRM 6X2 4P	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1725	98,83
153	VW/24.330/CRC 6X2	ISL8.9 330 P7-1	2250	2350	2450	650	750	850	0,7	-	1650	95,53

154	VW/24.330/CRC 6X2 VTR	ISL8.9 330 P7-1	2270	2370	2470	650	750	850	0,7	-	1575	92,33
155	VW/25.360/CTC 6X2	ISL8.9 360 P7-0	2250	2350	2450	650	750	850	0,9	-	1725	89,10
156	VW/25.390/CTC 6X2	ISL 8.9 400	2350	2450	2550	650	750	850	0,7	-	1725	89,10
157	VW/25.420/CTC 6X2	ISL 8.9 420 P7-1	2280	2380	2480	650	750	850	0,7	-	1575	96,47
158	VW/25-330/CTC 6X2	ISL8.9 330 P7-1	2250	2350	2450	650	750	850	0,7	-	1650	95,67
159	VW/25-420/CTC 6X2	ISL8.9 360 P7-0	2250	2350	2450	650	750	850	0,9	-	1725	89,10
160	VW/26.280/CRM 6X4	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1800	97,83
161	VW/26.330/OTA	ISL 8.9 330 P7-0	2250	2350	2450	650	750	850	0,7	-	NA	NA
162	VW/26.330/OTA PLUS	ISL8.9 330 P7-1	2250	2350	2450	650	750	850	0,7	-	NA	NA
163	VW/26.330/OTA-PLUS	ISL 8.9 330 P7-0	2250	2350	2450	650	750	850	0,7	-	NA	NA
164	VW/26.340/OTA	ISL8.9 330 P7-1	2250	2350	2450	650	750	850	0,7	-	NA	NA
165	VW/26.390/CTC 6X4.	ISL 8.9 400	2350	2450	2550	650	750	850	0,7	-	1725	89,10
166	VW/26.420/CTC 6X4	ISL8.9 420 P7-0	2350	2450	2550	650	750	850	0,7	-	1575	95,00
167	VW/26.420/CTC 6X4.	ISL 8.9 420 P7-1	2280	2380	2480	650	750	850	0,7	-	1575	96,47
168	VW/30.280/CRM 8X2	D0836 LF13	2650	2750	2850	600	700	800	0,7	-	1725	94,83
169	VW/30.330/CRC 8X2	ISL8.9 330 P7-1	2750	2850	2950	650	750	850	0,9	-	1575	92,87
170	VW/31.280/CRM 6X4	D0836 LF13	2650	2750	2850	600	700	800	0,9	-	1725	98,47
171	VW/31.330/CRC 6X4	ISL8.9 330 P7-1	2250	2350	2450	650	750	850	0,7	-	1800	98,13
172	VW/31.390/CRC. 6X4	ISL 8.9 400	2350	2450	2550	650	750	850	0,7	-	1725	89,10
173	VW/32.360/CRC 6X4	ISL8.9 360 P7-0	2300	2400	2500	650	750	850	0,7	-	1575	93,43
174	VW/4.150 DRC/4X2	ISF2.8 L6	3100	3200	3300	650	750	850	0,7	-	2400	91,00
175	VW/4.160/DRC 4X2	ISF2.8 155 P7-0	3860	3960	4060	650	750	850	0,7	-	2400	90,23
176	VW/5.150/CE	ISF 3.8 150 P7-2	2750	2850	2950	650	750	850	0,9	-	NA	NA
177	VW/5.150/CE.	ISF 3.8 150 P7-2	2750	2850	2950	650	750	850	0,9	-	NA	NA
178	VW/5.150/DRC 4X2	ISF3.8 150 P7-0	2750	2850	2950	650	750	850	0,9	-	1950	91,20
179	VW/5.150/DRC 4X2.	ISF 3.8 150 P7-2	2750	2850	2950	650	750	850	0,9	-	1950	91,20
180	VW/5.150/OD.	ISF 3.8 150 P7-2	2750	2850	2950	650	750	850	0,9	-	NA	NA
181	VW/5-150/OD	ISF3.8 150 P7-0	2750	2850	2950	650	750	850	0,9	-	NA	NA
182	VW/6.160/DRC 4X2	ISF2.8 155 P7-0	3850	3950	4050	640	740	840	0,7	-	2400	91,40
183	VW/8.160/CE	ISF3.8 160 P7-0	2750	2850	2950	650	750	850	0,9	-	NA	NA
184	VW/8.160/CE.	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	NA	NA
185	VW/8.160/DRC 4X2.	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	1950	91,67
186	VW/8.160/DRC.4X2 .	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	1950	91,67
187	VW/8.160/OD	ISF3.8 160 P7-0	2750	2850	2950	650	750	850	0,9	-	NA	NA
188	VW/8.160/OD 4X4	ISF3.8 160 P7-0	2760	2860	2960	650	750	850	0,9	-	NA	NA
189	VW/8.160/OD 4X4.	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	NA	NA
190	VW/8.160/OD PB	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	NA	NA
191	VW/8.160/OD PB HD	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
192	VW/8.160/OD PB HD ESC	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
193	VW/8.160/OD PB.	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
194	VW/8.160/OD PB.HD	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
195	VW/8.160/OD.	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	NA	NA
196	VW/8.170/DRC 4X2	ISF3.8 165 P7-0	2750	2850	2950	650	750	850	0,7	-	1575	87,37
197	VW/9.160/OD PLUS	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	NA	NA
198	VW/9.160/CE	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	NA	NA
199	VW/9.160/CE.	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	NA	NA
200	VW/9.160/DRC 4X2	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	1950	91,67
201	VW/9.160/DRC 4X2.	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	1950	91,67
202	VW/9.160/OD	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	NA	NA
203	VW/9.160/OD PB	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	NA	NA
204	VW/9.160/OD PB HD	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
205	VW/9.160/OD PB HD ESC	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70

206	VW/9.160/OD PB.	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	NA	NA
207	VW/9.160/OD PB.HD	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
208	VW/9.160/OD S.	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	NA	NA
209	VW/9.160/OD.	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	NA	NA
210	VW/9.160/OD.PLUS	ISF 3.8 160 P7-1	2750	2850	2950	650	750	850	0,9	-	NA	NA
211	VW/9.160/OD.S	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	NA	NA
212	VW/9.170/DRC 4X2	ISF3.8 165 P7-0	2780	2880	2980	650	750	850	0,7	-	1950	90,93
213	VW/COMIL MINI/ESC	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
214	VW/DDL/GRAN	ISF3.8 150 P7-0	2750	2850	2950	650	750	850	0,9	-	1950	91,32
215	VW/DDL/GRAN.	ISF3.8 150 P7-0	2750	2850	2950	650	750	850	0,9	-	1950	91,32
216	VW/EXPRESS DRC/4X2	ISF2.8 L6	3100	3200	3300	650	750	850	0,7	-	2400	91,00
217	VW/MASC MINI/ESC	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
218	VW/MASC/MICRO ESC	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
219	VW/MID/GRAN RURAL ESC	D0834 LOF01	2650	2750	2850	600	700	800	0,9	-	1800	88,06
220	VW/MID/GRAN. RURAL	D0834 LOF01	2750	2850	2950	650	750	850	0,9	-	1800	88,07
221	VW/MIN/GRAN.	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
222	VW/MIN/POWER.	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	81,03
223	VW/MPOLO MICRO PB/ESC	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
224	VW/MPOLO MICRO/ESC	ISF 3.8 160 P7-1	2747	2847	2947	650	750	850	0,7	-	1950	77,37
225	VW/MPOLO/8.160/OD PB HD	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,9	-	1950	91,70
226	VW/MPOLO/9.160/OD PB HD	ISF 3.8 160 P7-1	2760	2860	2960	650	750	850	0,7	-	1950	91,70
227	VW/MPOLO/MINI PB/ESC	ISF 3.8 160 P7-1	2760	2860	2960	500	600	700	0,9	-	1950	91,70
228	VW/NEOBUS/MINI/ESC	ISF 3.8 160 P7-1	2700	2800	2900	650	750	850	0,7	-	1950	81,47
229	VW/15.190/EOD E.HD ORE /1,PRES /1	D0834 LOF01	2750	2850	2950	600	700	800	0,9	-	1800	82,40
230	VW/NEOBUS 8.160/ESCOLAR /1	ISF 3.8 160 P7-1	2700	2800	2900	650	750	850	0,7	-	1950	81,47
231	VW/11.180/DRC 4X4 /1	ISF3.8 175 P7-0	2760	2860	2960	650	750	850	0,7	-	1950	87,63
232	VW/6.170 DRF/4X2 /1	FPT F1C 3.0L 160cv	3300	3400	3500	700	800	900	NA	107/21	2550	85,50
233	VW/EXPRESS DRF/4X2 /1	FPT F1C 3.0L 160cv	3300	3400	3500	700	800	900	NA	106/21	2475	88,60
234	VW/DELIVERY/11.180 /2	ISF3.8 173 P8-1	2450	2550	2650	650	750	850	NA	053/22	1875	88,70
235	VW/VOLKSBUS/17.230 /2,17.230 S /2	D0834 LOF06	2300	2400	2500	600	700	800	NA	NA	NA	NA
236	VW/VOLKSBUS/17.230 /1,17.230 S /1	D0834 LOF06	2300	2400	2500	600	700	800	NA	NA	NA	NA
237	VW NEOBUS/15.210/E /1	D0834 LOF05	2300	2400	2500	600	700	800	NA	052/22	1736	76,03
238	VW/VOLKSBUS/15.210 /1,15.210 S /1	D0834 LOF05	2300	2400	2500	600	700	800	NA	NA	NA	NA
239	VW/VOLKSBUS/15.210 R /1	D0834 LOF05	2300	2400	2500	600	700	800	NA	NA	NA	NA
240	VW NEOBUS/11.180/E /1	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	082/22	1875	80,30
241	VW/VOLKSBUS/17.260 /1,17.260 S /1	D0836 LOF04	2300	2400	2500	600	700	800	NA	NA	NA	NA
242	VW/VOLKSBUS/18.320 SH /1,18.320 SL /1	D0836 LOH12	2200	2300	2400	500	600	700	NA	NA	NA	NA
243	VW/VOLKSBUS/15.210 /2,15.210 S /2	D0834 LOF05	2300	2400	2500	600	700	800	NA	NA	NA	NA
244	VW/18.260/CRM 4X2 /1,CRM 4X2 4P /1	D0836 LF18	2200	2300	2400	500	600	700	NA	088/22	1650	92,20
245	VW/DELIVERY/9.180 /1	ISF3.8 173 P8-1	2450	2550	2650	650	750	850	NA	053/22	1875	88,70
246	VW/26.260/CRM 6X2 /1,CRM 6X2 4P /1	D0836 LF18	2200	2300	2400	500	600	700	NA	088/22	1650	92,20
247	VW/27.260/CRM 6X4 /1,CRM 6X4 4P /1	D0836 LF18	2200	2300	2400	500	600	700	NA	089/22	1650	91,30
248	VW/VOLKSBUS/11.180 /1,11.180 CE /1,11.180 R /1	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	NA	NA	NA
249	VW/VOLKSBUS/8.180 /1,8.180 R /1	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	NA	NA	NA
250	VW/18.210/CRM 4X2 /1,CRM 4X2 4P /1	D0834 LF08	2300	2400	2500	600	700	800	NA	051/22	1736	88,70
251	VW/18.210/CRM 4X2 /2,CRM 4X2 4P /1 /1	D0834 LF08	2300	2400	2500	600	700	800	NA	050/22	1736	90,40
252	VW/17.210/CRM 4X2 /1,CRM 4X2 4P /1	D0834 LF08	2300	2400	2500	600	700	800	NA	050/22	1736	90,40
253	VW/18.320/CRM 4X2 /1,CRM 4X2 4P /1	D0836 LF17	2200	2300	2400	500	600	700	NA	087/22	1650	91,10
254	VW/26.320/CRM 6X2 /1,CRM 6X2 4P /1	D0836 LF17	2200	2300	2400	500	600	700	NA	087/22	1650	91,10
255	VW/VOLKSBUS/15.210 /3,15.210 S /3	D0834 LOF05	2200	2300	2400	500	600	700	NA	NA	NA	NA
256	VW/17.210/CRM 4X2 /2,CRM 4X2 4P /2	D0834 LF08	2300	2400	2500	600	700	800	NA	050/22	1736	90,40
257	VW/29.530/MTM 6X4 /1	D2676 LFAD	1900	2000	2100	500	600	700	NA	125/22	1350	98,40

258	VW/14.210/CRM 4X2 /2,CRM 4X2 4P /2	D0834 LF08	2300	2400	2500	600	700	800	NA	050/22	1736	90,40
259	VW/26.320/CRM 6X2 /2,CRM 6X2 4P /2	D0836 LF17	2300	2400	2500	600	700	800	NA	089/22	1650	91,30
260	VW/18.320/CRM 4X2 /2,CRM 4X2 4P /2	D0836 LF17	2200	2300	2400	500	600	700	NA	087/22	1650	91,10
261	VW/26.260/CRM 6X2 /2,CRM 6X2 4P /2	D0836 LF18	2200	2300	2400	500	600	700	NA	088/22	1650	92,20
262	VW/18.260/CRM 4X2 /2,CRM 4X2 4P /2	D0836 LF18	2200	2300	2400	500	600	700	NA	087/22	1650	91,10
263	VW/27.260/CRM 6X4 /2,CRM 6X4 4P /2	D0836 LF18	2200	2300	2400	500	600	700	NA	087/22	1650	91,10
264	VW/NEOBUS/8.180/E /2	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	082/22	1875	80,30
265	VW/VOLKSBUS/9.180 /3	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	NA	NA	NA
266	VW/30.320/CRM 8X2 /2	D0836 LF17	2200	2300	2400	500	600	700	NA	087/22	1650	91,10
267	VW/30.320/CRM 8X2 /1	D0836 LF17	2200	2300	2400	500	600	700	NA	089/22	1650	91,30
268	VW/31.320/CRM 6X4 /1	D0836 LF17	2200	2300	2400	500	600	700	NA	087/22	1650	91,10
269	VW/33.480/CTM 6X4 /1	D2676 LFAG	1900	2000	2100	500	600	700	NA	126/22	1350	98,40
270	VW/25.480/CTM 6X2 /1	D2676 LFAG	1900	2000	2100	500	600	700	NA	142/22	1350	98,00
271	VW/28.480/MTM 6X2 /2	D2676 LFAG	1900	2000	2100	500	600	700	NA	125/22	1350	98,40
272	VW/19.380/CTC 4X2 /1	ISL9 370 P8-0	1830	1930	2030	600	700	800	NA	316/22	1425	92,70
273	VW/25.380/CTC 6X2 /1	ISL9 370 P8-0	1830	1930	2030	600	700	800	NA	316/22	1425	92,70
274	VW/32.380/CRC 6X4 /1	ISL9 370 P8-0	1830	1930	2030	600	700	800	NA	317/22	1425	92,40
275	VW/DELIVERY 11.180 4X4	ISF3.8 173 P8-1	2450	2550	2650	750	850	950	NA	387/22	1875	87,30
276	VW/DELIVERY 13.180	ISF3.8 173 P8-1	2450	2550	2650	750	850	950	NA	484/ 22	1875	88,20
277	VW/VOLKSBUS 11.180 R	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	NA	NA	NA
278	VW/VOLKSBUS 8.180R	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	NA	NA	NA
279	VW/VOLKSBUS 11.180	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	NA	NA	NA
280	VW/VOLKSBUS 8.180 4X4	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	NA	NA	NA
281	VW/NEOBUS 11.180 E.	ISF3.8 173 P8-1	2450	2550	2650	750	850	950	NA	082/22	1875	80,30
282	W/VOLKSBUS 8.180	ISF3.8 173 P8-1	2300	2400	2500	600	700	800	NA	NA	NA	NA
283	VW/NEOBUS 8.180 E.	ISF3.8 173 P8-1	2450	2550	2650	750	850	950	NA	082/22	1875	80,27
284	VW/NEOBUS 11.180 E	ISF3.8 173 P8-1	2450	2550	2650	750	850	950	NA	082/22	1875	80,27
285	VW/NEOBUS 8.180 E	ISF3.8 173 P8-1	2450	2550	2650	750	850	950	NA	082/22	1875	80,30
286	VW/31.320 CRM 6X4 4P	D0836 LF17	2200	2300	2400	500	600	700	NA	087/22	1650	91,10
287	VW/NEOBUS 15.210 E.	D0834 LOF05	2300	2400	2500	600	700	800	NA	052/22	1736	76,03
288	VW 33.260 CRM 8X4	D0836 LF18	2200	2300	2400	500	600	700	NA	089/22	1650	91,03
289	VW/25.480 CTM 6X2	D2676 LFAG	1900	2000	2100	500	600	700	NA	142/22	1350	97,93
290	VW/VOLKSBUS 11.180 CE	ISF3.8 173 P8-1	2450	2550	2650	750	850	950	NA	NA	NA	NA