



Mercedes-Benz

Solic INFC	Marca/modelo	Ano	Motor	CO ML (%)	M.Lenta (l/min)	NÍVEL MÁXIMO DE EMISSÃO SONORA PARA FISCALIZAÇÃO, CONFORME NBR 9714	
Mercedes-Benz Cars & Vans Brasil							
23997	I/M.BENZ/A200	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24161	I/M.BENZ/A200 SD	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
23998	I/M.BENZ/A200 SD	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
23999	I/M.BENZ/A200 SD	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
23999	I/M.BENZ/A200 SD/HI	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24163	I/M.BENZ/A200 SD/HI	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24000	I/M.BENZ/A250	>2018	260920	2.0 - 16V	0,30%	750 +50/-100	78,0 dB(A) @3750 /min ⁻¹
85080	I/M.BENZ/A250 SD	>2019	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
24408	I/M.BENZ/AMG A35 4M	>2019	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
23993	I/M.BENZ/AMG A35 4M	>2019	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
24421	I/M.BENZ/AMG A35SD 4M	>2020	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
24228	I/M.BENZ/AMG A35SD 4M	>2020	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
24360	I/M.BENZ/AMG A45S 4M	>2019	139980	2.0 - 16V	0,30%	750 ±50	83,7 dB(A) @3750 /min ⁻¹
24697	I/M.BENZ/AMG CLA35 4M	>2020	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
23994	I/M.BENZ/AMG CLA35 4M	>2020	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
24884	I/M.BENZ/AMG CLA45S 4M	>2020	139980	2.0 - 16V	0,30%	750 ±50	83,7 dB(A) @3750 /min ⁻¹
24333	I/M.BENZ/AMG CLA45S 4M	>2020	139980	2.0 - 16V	0,30%	750 ±50	83,7 dB(A) @3750 /min ⁻¹
23991	I/M.BENZ/AMG CLS 53	>2019	256930	3.0 - 24V	0,30%	520 ±50	90,3 dB(A) @3750 /min ⁻¹
23992	I/M.BENZ/AMG E53 4M	>2019	256930	3.0 - 24V	0,30%	520 ±50	92,7 dB(A) @3750 /min ⁻¹
24728	I/M.BENZ/AMG E63S 4M	>2017	177980	4.0 - 32V	0,30%	700 ±200	93,7 dB(A) @3750 /min ⁻¹
23989	I/M.BENZ/AMG E63S 4M	>2017	177980	4.0 - 32V	0,30%	700 ±200	93,7 dB(A) @3750 /min ⁻¹
23986	I/M.BENZ/AMG G63 4M	>2018	177980	4.0 - 32V	0,30%	630 ±50	93,7 dB(A) @3750 /min ⁻¹
24530	I/M.BENZ/AMG GLA35 4M	>2020	260920	2.0 - 16V	0,30%	700 ±50	77,3 dB(A) @3750 /min ⁻¹
24529	I/M.BENZ/AMG GLB35 4M	>2020	260920	2.0 - 16V	0,30%	700 ±50	77,3 dB(A) @3750 /min ⁻¹
24123	I/M.BENZ/AMG GLC43/CO	>2019	276823	3.0 - 24V	0,30%	620 ±50	84,7 dB(A) @3750 /min ⁻¹
23987	I/M.BENZ/AMG GLC63 4M	>2018	177980	4.0 - 32V	0,30%	680 ±50	95,7 dB(A) @3750 /min ⁻¹
23990	I/M.BENZ/AMG GLC63S4M/CO	>2018	177980	4.0 - 32V	0,30%	680 ±50	95,7 dB(A) @3750 /min ⁻¹
24633	I/M.BENZ/AMG GLE53 4M	>2020	256930	3.0 - 24V	0,30%	520 ±50	89,3 dB(A) @3750 /min ⁻¹
24121	I/M.BENZ/AMG GLE53 4M	>2020	256930	3.0 - 24V	0,30%	520 ±50	89,3 dB(A) @3750 /min ⁻¹
3036	I/M.BENZ/AMG GLE53 4M/CO	>2020	256930	3.0 - 24V	0,30%	520 ±50	89,3 dB(A) @3750 /min ⁻¹
24576	I/M.BENZ/AMG GLE63 4M	>2020	177980	4.0 - 32 V	0,30%	700 ±200	91,3 dB(A) @3750 /min ⁻¹
24911	I/M.BENZ/AMG GLE63S/CO	>2020	177980	4.0 - 32 V	0,30%	750 ±200	95,8 dB(A) @3750 /min ⁻¹
24579	I/M.BENZ/AMG GLE63S/CO	>2020	177980	4.0 - 32 V	0,30%	680 ±50	90,0 dB(A) @3750 /min ⁻¹
24855	I/M.BENZ/AMG GT BS	>2020	178980	4.0 - 32 V	0,30%	750 ±50	88,3 dB(A) @3750 /min ⁻¹
23995	I/M.BENZ/AMG GT C RO	>2017	178980	4.0 - 32V	0,30%	650 +250/-50	99,8 dB(A) @3750 /min ⁻¹
24018	I/M.BENZ/AMG GT R	>2017	178980	4.0 - 32V	0,30%	650 +250/-50	100,7 dB(A) @3750 /min ⁻¹
24113	I/M.BENZ/AMG GT43	>2020	256930	3.0 - 24V	0,30%	520 ±50	93,7 dB(A) @3750 /min ⁻¹
23982	I/M.BENZ/AMG GT63S 4M	>2019	177980	4.0 - 32V	0,30%	700 ±50	93,7 dB(A) @3750 /min ⁻¹
24002	I/M.BENZ/AMGC43	>2019	276823	3.0 - 24V	0,30%	620 ±100	96,0 dB(A) @3750 /min ⁻¹
24001	I/M.BENZ/AMGC43 CO	>2019	276823	3.0 - 24V	0,30%	620 ±100	96,0 dB(A) @3750 /min ⁻¹
23983	I/M.BENZ/AMGC63S/CO	>2019	177980	4.0 - 32V	0,30%	680 ±50	90,0 dB(A) @3750 /min ⁻¹
24120	I/M.BENZ/AMGGLC43	>2019	276823	3.0 - 24V	0,30%	620 ±50	84,7 dB(A) @3750 /min ⁻¹
24137	I/M.BENZ/AMGGLC43/CO	>2017	276821	3.0 - 24V	0,30%	610 ±100	88,1 dB(A) @3750 /min ⁻¹
24139	I/M.BENZ/C180/COUPE	>2017	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
24095	I/M.BENZ/C180/COUPE	>2019	264915	1.5 - 16V	0,30%	740 ±50	79,7 dB(A) @3750 /min ⁻¹
24003	I/M.BENZ/C180/COUPE	>2019	264915	1.5 - 16V	0,30%	740 ±50	79,6 dB(A) @3750 /min ⁻¹
23974	I/M.BENZ/C180FF	>2017	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
23976	I/M.BENZ/C200	>2018	264915	1.5 - 16V	0,30%	650 ±50	78,9 dB(A) @3750 /min ⁻¹
23978	I/M.BENZ/C300	>2018	264920	2.0 - 16V	0,30%	650 ±50	78,0 dB(A) @4000 /min ⁻¹
24004	I/M.BENZ/C300/CA	>2018	264920	2.0 - 16V	0,30%	740 ±50	77,3 dB(A) @3750 /min ⁻¹
24005	I/M.BENZ/C300/CO	>2018	264920	2.0 - 16V	0,30%	740 ±50	77,3 dB(A) @3750 /min ⁻¹
23985	I/M.BENZ/C63 AMG	>2018	177980	4.0 - 32V	0,30%	680 ±50	90,0 dB(A) @3750 /min ⁻¹
23981	I/M.BENZ/C63 AMGS	>2018	177980	4.0 - 32V	0,30%	680 ±50	90,0 dB(A) @3750 /min ⁻¹
24006	I/M.BENZ/CLA250	>2019	260920	2.0 - 16V	0,30%	700 ±50	78,0 dB(A) @3750 /min ⁻¹
24119	I/M.BENZ/CLA45AMG4MATIC	>2018	133980	2.0 - 16V	0,30%	750 +/-100	108,4 dB(A) @3750 /min ⁻¹
24007	I/M.BENZ/CLS 450 4MATIC	>2018	256930	3.0 - 24V	0,30%	520 ±50	86,3 dB(A) @3750 /min ⁻¹
24146	I/M.BENZ/E250/AVN	>2018	274920	2.0 - 16V	0,30%	750 +50/-100	78,0 dB(A) @3750 /min ⁻¹
24146	I/M.BENZ/E250/EXC	>2018	274920	2.0 - 16V	0,30%	750 +50/-100	78,0 dB(A) @3750 /min ⁻¹
24772	I/M.BENZ/E300	>2018	264920	2.0 - 16V	0,30%	740 ±50	77,3 dB(A) @3750 /min ⁻¹
24008	I/M.BENZ/E300	>2018	264920	2.0 - 16V	0,30%	740 ±50	77,3 dB(A) @3750 /min ⁻¹
24563	I/M.BENZ/E300/EXCLUSIVE	>2018	264920	2.0 - 16V	0,30%	740 ±50	76,7 dB(A) @3750 /min ⁻¹
3118	I/M.BENZ/E300/EXCLUSIVE.	>2018	264920	2.0 - 16V	0,30%	740 ±50	77,3 dB(A) @3750 /min ⁻¹
24566	I/M.BENZ/E300/SPORT	>2018	264920	2.0 - 16V	0,30%	740 ±50	76,7 dB(A) @3750 /min ⁻¹
3117	I/M.BENZ/E300/SPORT.	>2018	264920	2.0 - 16V	0,30%	740 ±50	77,3 dB(A) @3750 /min ⁻¹
24361	I/M.BENZ/GLA200	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
3063	I/M.BENZ/GLA200/ADV	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
3066	I/M.BENZ/GLA200/PROG	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
3095	I/M.BENZ/GLA200/SPT	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
3062	I/M.BENZ/GLA200/STYLE	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹



Mercedes-Benz

Solic INFC	Marca/modelo	Ano	Motor	CO ML (%)	M.Lenta (l/min)	NÍVEL MÁXIMO DE EMISSÃO SONORA PARA FISCALIZAÇÃO, CONFORME NBR 9714	
23980	I/M.BENZ/GLA200FF	>2018	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
23980	I/M.BENZ/GLA200FF/STY	>2018	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
85498	I/M.BENZ/GLA250	>2018	260920	2.0 - 16V	0,30%	700 ±50	77,3 dB(A) @3750 /min ⁻¹
23979	I/M.BENZ/GLA250	>2018	270920	2.0 - 16V	0,30%	700 +100/-50	82,5 dB(A) @3750 /min ⁻¹
24147	I/M.BENZ/GLA45AMG4M	>2016	133980	2.0 - 16V	0,30%	750 ±100	101,2 dB(A) @3750 /min ⁻¹
24218	I/M.BENZ/GLB200 SPORT	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
85499	I/M.BENZ/GLB200/5L	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24254	I/M.BENZ/GLB200/ADV 7L	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24524	I/M.BENZ/GLB200/ADVANCE	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24525	I/M.BENZ/GLB200/PROG	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24254	I/M.BENZ/GLB200/SPORT	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24135	I/M.BENZ/GLC2504MATIC	>2018	274920	2.0 - 16V	0,30%	750 +50/-150	80,1 dB(A) @3750 /min ⁻¹
24135	I/M.BENZ/GLC2504MATIC/CO	>2018	274920	2.0 - 16V	0,30%	750 +50/-150	80,1 dB(A) @3750 /min ⁻¹
24015	I/M.BENZ/GLC300 4M CO	>2018	264920	2.0 - 16V	0,30%	740 ±50	80,8 dB(A) @3750 /min ⁻¹
24036	I/M.BENZ/GLE400/CO	>2018	276821	3.0 - 24V	0,30%	610 ±100	79,9 dB(A) @3750 /min ⁻¹
24149	I/M.BENZ/GLE63AMG/CO	>2018	157982	5.5 - 32V	0,30%	750 ±200	95,8 dB(A) @3750 /min ⁻¹
24615	I/M.BENZ/GLS 450 4M	>2018	256930	3.0 - 24V	0,30%	520 ±50	84,3 dB(A) @3750 /min ⁻¹
24019	I/M.BENZ/S560 L	>2018	176980	4.0 - 32V	0,30%	680 ±50	75,0 dB(A) @3750 /min ⁻¹
24022	I/M.BENZ/S63L AMG4M	>2018	177980	4.0 - 32V	0,30%	680 +250/-100	90,2 dB(A) @3750 /min ⁻¹
23984	I/M.BENZ/S63L AMG4M/C	>2018	177980	4.0 - 32V	0,30%	680 ±50	90,7 dB(A) @3750 /min ⁻¹
24009	I/M.BENZ/SLC300	>2016	274920	2.0 - 16V	0,30%	750 +50/-100	84,7 dB(A) @3750 /min ⁻¹
24031	I/M.BENZ/VITOT119	>2016	274920	2.0 - 16V	0,30%	750 +50/-100	84,2 dB(A) @3750 /min ⁻¹
23959	I/M.BENZ/C180FF	>2018	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
23968	I/M.BENZ/C200	>2018	264915	1.5 - 16V	0,30%	650 ±50	78,9 dB(A) @3750 /min ⁻¹
23969	I/M.BENZ/C300	>2018	264920	2.0 - 16V	0,30%	650 ±50	78,0 dB(A) @4000 /min ⁻¹
23972	I/M.BENZ/GLA200FF	>2018	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
23972	I/M.BENZ/GLA200FF/STY	>2018	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
23970	I/M.BENZ/GLA250	>2018	270920	2.0 - 16V	0,30%	700 +100/-50	82,5 dB(A) @3750 /min ⁻¹
49256	I/M.BENZ/CLA200 AMG LINE	2024	282814	1.5 - 16V	0,30%	770 ±50	72,90 dB(A) @4000/min-1
49163	I/M.BENZ/AMG GLC43 CO	2024	M139 580	2.0 - 16V	0,30%	780 ± 50	87,30 dB(A) @3750/min-1
49163	I/M.BENZ/AMG GLC43	2024	M139 580	2.0 - 16V	0,30%	780 ± 50	87,30 dB(A) @3750/min-1
47928	I/M.BENZ/AMG GLA35 4M	2024	260920	2.0 - 16V	0,30%	770 ± 50	80,17 dB(A) @4575/min-1
45714	I/M.BENZ/GLS450 4M	2023	256380	3.0 - 16V	0,30%	520 ± 50	77,37 dB(A) @3750/min-1
45487	I/M.BENZ/AMG GLE63S	2023	M177	4.0 - 32V	0,30%	680 ± 50	91,27 dB(A) @3750/min-1
45487	I/M.BENZ/AMG GLE63S CO	2023	M177	4.0 - 32V	0,30%	680 ± 50	91,27 dB(A) @3750/min-1
45461	I/M.BENZ/GLE53 4M	2023	256930	3.0 - 24V	0,30%	520 ± 50	85,77 dB(A) @3750/min-1
45106	I/M.BENZ/GLB35 4M	2023	260920	2.0 - 16V	0,30%	770 ± 50	80,17 dB(A) @4575/min-1
44685	I/M.BENZ/GLC300 4M	2023	254920	2.0 - 16V	0,30%	640 ± 50	80,37 db(A) @4000/min-1
45106	I/M.BENZ/AMG GLB35 4M	2023	260920	2.0 - 16V	0,30%	770 ± 50	80,17 dB(A) @4575/min-1
44685	I/M.BENZ/GLC300 4M CO	2023	254920	2.0 - 16V	0,30%	640 ± 50	80,37 db(A) @4000/min-1
44685	I/M.BENZ/GLC300 4M	2023	254920	2.0 - 16V	0,30%	640 ± 50	80,37 db(A) @4000/min-1
44331	I/M.BENZ/E300 EXCLUSIVE	2023	254920	2.0 - 16V	0,30%	640 ± 50	77,80 dB(A) @3750/min-1
44020	I/M.BENZ/GLB200 PROG	2023	282814	1.3 - 16V	0,30%	770 ± 50	79,03 dB(A) @4000/min-1
43912	I/M.BENZ/GLB200	2023	282814	1.3 - 16V	0,30%	770 ± 50	79,03 dB(A) @4000/min-1
43831	I/M.BENZ/AMG CLA45S 4M	2023	139980	2.0 - 16V	0,30%	730 ± 50	83,70 dB(A) @3750/min-1
43465	I/M.BENZ/CLA200 AMG LINE	2023	282814	1.3 - 16V	0,30%	770 ± 50	75,83 dB(A) @4000/min-1
43093	I/M.BENZ/AMG A45S 4M	2023	139980	2.0 - 16V	0,30%	730 ± 50	84,20 dB(A) @3750/min-1
42865	I/M.BENZ/CLA200	2023	282814	1.3 - 16V	0,30%	770 ± 50	72,90 dB(A) @3750/min-1
42740	I/M.BENZ/AMG CLA35 4M	2023	260920	2.0 - 16V	0,30%	770 ± 50	80,83 dB(A) @4575/min-1
41832	I/M.BENZ/GLA200 AMG LINE	2023	282814	1.3 - 16V	0,30%	770 ± 50	79,30 dB(A) @4000/min-1
39971	I/M.BENZ/C300 AMG LINE	2023	254920	2.0 - 16V	0,30%	640 ± 50	77,70 dB(A) @4000/min-1
39546	I/M.BENZ/C200 AMG LINE	2023	254915	1.5 - 16V	0,30%	640 ± 50	77,80 dB(A) @4000/min-1
39483	I/M.BENZ/AMG G63 4M GRD	2023	M177	4.0 - 32V	0,30%	680 ± 50	94,07 dB(A) @3750/min-1
39263	I/M.BENZ/GLA200 AMG LINE	2023	282914	1.3 - 16V	0,30%	770 ± 50	79,30 dB(A) @4000/min-1
38912	I/M.BENZ/A200 AMG LINE	2023	282814	1.3 - 16V	0,30%	770 ± 50	73,27 dB(A) @3750/min-1
36282	I/M.BENZ/AMG G63 4M	2023	M177	4.0 - 32V	0,30%	680 ± 50	94,07 dB(A) @3750/min-1
35188	I/M.BENZ/GLE63S CO	2023	177980	4.0 - 32V	0,30%	680 ± 50	91,27 dB(A) @3750/min-1
41895	I/M.BENZ/315CDI STREET	2023	OM654	2.0 - 16V	0,30%	770 ± 50	85,33 dB(A) @2850/min-1
41895	I/M.BENZ/315CDI STREET C	2023	OM654	2.0 - 16V	0,30%	770 ± 50	85,33 dB(A) @2850/min-1
41895	I/M.BENZ/315CDI STREET F	2023	OM654	2.0 - 16V	0,30%	770 ± 50	85,33 dB(A) @2850/min-1
Mercedes-Benz do Brasil							
17908	I/M.BENZ/A 250	>2015	270920	2.0 - 16V	0,30%	700 -50+100	82,5 dB(A) @3750 /min ⁻¹
18114	I/M.BENZ/A 45 AMG 4M/	>2013	133980	2.0 - 16V	0,30%	750 ±100	108,6 dB(A) @3750 /min ⁻¹
22076	I/M.BENZ/A180	>2018	270910	1.6 - 16V	0,30%	700 +100/-50	78,0 dB(A) @3975 /min ⁻¹
23496	I/M.BENZ/A200	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
23086	I/M.BENZ/A200	>2018	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
23303	I/M.BENZ/A200 SD/ /3,HI /2	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
23411	I/M.BENZ/A200 SD/ /4	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24159	I/M.BENZ/A200 SD/ /5	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
24160	I/M.BENZ/A200 SD/ /6,HI /3	>2019	282914	1.3 - 16V	0,30%	770 ±50	76,0 dB(A) @3750 /min ⁻¹
20413	I/M.BENZ/A200FF	>2017	270910	1.6 - 16V	0,30%	700 +100/ -50	78,7 dB(A) @3975 /min ⁻¹
18918	I/M.BENZ/A200FF	>2016	270910	1.6 - 16V	0,30%	700 +100/-50	78,7 dB(A) @3975 /min ⁻¹



Mercedes-Benz

Solic INFC	Marca/modelo	Ano	Motor	CO ML (%)	M.Lenta (l/min)	NÍVEL MÁXIMO DE EMISSÃO SONORA PARA FISCALIZAÇÃO, CONFORME NBR 9714	
17173	I/M.BENZ/A200FF	>2015	270910	1.6 - 16V	0,30%	700 +100/-50	78,0 dB(A) @3975 /min ⁻¹
15374	I/M.BENZ/A200TURBO	>2013	270910	1.6 - 16V	0,30%	700 +100/-50	77,0 dB(A) @3975 /min ⁻¹
23296	I/M.BENZ/A250	>2018	260920	2.0 - 16V	0,30%	750 +50/-100	78,0 dB(A) @3750 /min ⁻¹
22446	I/M.BENZ/A250	>2018	260920	2.0 - 16V	0,30%	750 +50/-100	78,0 dB(A) @3750 /min ⁻¹
15018	I/M.BENZ/A250/	>2013	270920	2.0 - 16V	0,30%	700 -50+100	80,8 dB(A) @3750 /min ⁻¹
76812	I/M.BENZ/A250	>2021	260920	2.0 - 16V	0,30%	750 +50/-100	78,50 dB(A) @4125/min ⁻¹
2872	I/M.BENZ/A250/TURBOSPORT	>2018	260920	2.0 - 16V	0,30%	750 +50/-100	78,0 dB(A) @3750 /min ⁻¹
20190	I/M.BENZ/A250/TURBOSPORT	>2016	270920	2.0 - 16V	0,30%	700 -50+100	80,8 dB(A) @3750 /min ⁻¹
2072	I/M.BENZ/A250/TURBOSPORT	>2013	274920	2.0 - 16V	0,30%	700 -50+100	80,8 dB(A) @3750 /min ⁻¹
15662	I/M.BENZ/A45AMG 4M	>2013	133980	2.0 - 16V	0,30%	700 ±100	97,3 dB(A) @3750 /min ⁻¹
15148	I/M.BENZ/A45AMG 4M	>2013	133980	2.0 - 16V	0,30%	700 ±100	97,3 dB(A) @3750 /min ⁻¹
19058	I/M.BENZ/A45AMG4M	>2016	133980	2.0 - 16V	0,30%	750 ±100	108,7 dB(A) @3750 /min ⁻¹
23767	I/M.BENZ/AMG A35 4M	>2019	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
23770	I/M.BENZ/AMG CLA35 4M	>2019	260920	2.0 - 16V	0,30%	750 +50/-100	80,0 dB(A) @3750 /min ⁻¹
23192	I/M.BENZ/AMG CLS 53	>2019	256930	3.0 - 24V	0,30%	520 ±50	90,3 dB(A) @3750 /min ⁻¹
23193	I/M.BENZ/AMG E53 4M	>2019	256930	3.0 - 24V	0,30%	520 ±50	92,7 dB(A) @3750 /min ⁻¹
20998	I/M.BENZ/AMG E63S 4M	>2017	177980	4.0 - 32V	0,30%	700 ± 200	93,7 dB(A) @3750 /min ⁻¹
22603	I/M.BENZ/AMG G63 4M	>2018	177980	4.0 - 32V	0,30%	630 ± 50	93,7 dB(A) @3750 /min ⁻¹
22087	I/M.BENZ/AMG GLC43/CO	>2018	276823	3.0 - 24V	0,30%	700 ± 150	94,9 dB(A) @3750 /min ⁻¹
20395	I/M.BENZ/AMG GLC43/CO	>2017	276823	3.0 - 24V	0,30%	700 ± 150	94,9 dB(A) @3750 /min ⁻¹
23933	I/M.BENZ/AMG GLC43/CO	>2019	276823	3.0 - 24V	0,30%	620 ± 50	84,7 dB(A) @3750 /min ⁻¹
22299	I/M.BENZ/AMG GLC63 4M	>2018	177980	4.0 - 32V	0,30%	680 ±50	95,7 dB(A) @3750 /min ⁻¹
19310	I/M.BENZ/AMG GLE43/CO	>2017	276821	3.0 - 24V	0,30%	610 ±100	88,1 dB(A) @3750 /min ⁻¹
18833	I/M.BENZ/AMG GLE43/CO	>2016	276821	3.0 - 24V	0,30%	610 +50 / -100	88,1 dB(A) @3750 /min ⁻¹
2511	I/M.BENZ/AMG GLE43/CO	>2016	276821	3.0 - 24V	0,30%	610 +50 / -100	88,1 dB(A) @3750 /min ⁻¹
24108	I/M.BENZ/AMG GLE53 4M	43766	256930	3.0 - 24V	0,30%	520 ±50	89,3 dB(A) @3750 /min ⁻¹
21655	I/M.BENZ/AMG GT C RO	>2017	178980	4.0 - 32V	0,30%	650 +250/-50	99,8 dB(A) @3750 /min ⁻¹
21296	I/M.BENZ/AMG GT R	>2017	178980	4.0 - 32V	0,30%	650 +250/-50	100,7 dB(A) @3750 /min ⁻¹
23183	I/M.BENZ/AMG GT63S 4M	>2019	177980	4.0 - 32V	0,30%	700 ±50	93,7 dB(A) @3750 /min ⁻¹
23218	I/M.BENZ/AMGC43	>2019	276823	3.0 - 24V	0,30%	620 ±100	96,0 dB(A) @3750 /min ⁻¹
19363	I/M.BENZ/AMGC43	>2016	276823	3.0 - 24V	0,30%	620 ±100	98,2 dB(A) @3750 /min ⁻¹
23195	I/M.BENZ/AMGC43 CO	>2019	276823	3.0 - 24V	0,30%	620 ±100	96,0 dB(A) @3750 /min ⁻¹
19363	I/M.BENZ/AMGC43/CO	>2016	276823	3.0 - 24V	0,30%	620 ±100	98,2 dB(A) @3750 /min ⁻¹
19377	I/M.BENZ/AMGC63S/CA	>2016	177980	4.0 - 32V	0,30%	700 ± 150	100,9 dB(A) @3750 /min ⁻¹
23221	I/M.BENZ/AMGC63S/CO	>2019	177980	4.0 - 32V	0,30%	680 ±50	90,0 dB(A) @3750 /min ⁻¹
18907	I/M.BENZ/AMGC63S/CO	>2016	177980	4.0 - 32V	0,30%	700 ± 150	100,9 dB(A) @3750 /min ⁻¹
20525	I/M.BENZ/AMGE43 4MATIC	>2017	276823	3.0 - 24V	0,30%	700 ±160	86,7 dB(A) @3750 /min ⁻¹
19530	I/M.BENZ/AMGGLC43	>2016	276823	3.0 - 24V	0,30%	700 ± 150	94,9 dB(A) @3750 /min ⁻¹
23958	I/M.BENZ/AMGGLC43	>2019	276823	3.0 - 24V	0,30%	680 ±50	84,7 dB(A) @3750 /min ⁻¹
22298	I/M.BENZ/AMGGLC63S4M/CO	>2018	177980	4.0 - 32V	0,30%	680 ±50	95,7 dB(A) @3750 /min ⁻¹
21650	I/M.BENZ/AMGGLC43/CO	>2018	276821	3.0 - 24V	0,30%	610 ±100	88,1 dB(A) @3750 /min ⁻¹
19509	I/M.BENZ/AMGGT	>2016	178980	4.0 - 32V	0,30%	700 ± 100	110,1 dB(A) @3750 /min ⁻¹
16888	I/M.BENZ/AMGGT	>2014	178980	4.0 - 32V	0,30%	700 ± 100	110,1 dB(A) @3750 /min ⁻¹
19508	I/M.BENZ/AMGGTS	>2016	178980	4.0 - 32V	0,30%	700 ± 100	110,1 dB(A) @3750 /min ⁻¹
16887	I/M.BENZ/AMGGTS	>2014	178980	4.0 - 32V	0,30%	700 ± 100	110,1 dB(A) @3750 /min ⁻¹
19141	I/M.BENZ/AMGS63/CA	>2016	157985	5.5 - 32V	0,30%	650 +150/-100	95,8 dB(A) @3750 /min ⁻¹
18989	I/M.BENZ/AMGSLC43	42502	276822	3.0 - 24V	0,30%	610 ± 50	94,7 dB(A) @3750 /min ⁻¹
17281	I/M.BENZ/B 200 CGI	>2015	270910	1.6 - 16V	0,30%	700 +100/-50	81,1 dB(A) @3975 /min ⁻¹
17992	I/M.BENZ/B 200FF	>2015	270910	1.6 - 16V	0,30%	700 +100/-50	81,1 dB(A) @3975 /min ⁻¹
16737	I/M.BENZ/B200 CGI	>2014	270910	1.6 - 16V	0,30%	700 +100/-50	81,1 dB(A) @3975 /min ⁻¹
14184	I/M.BENZ/B200CGI	>2012	270910	1.6 - 16V	0,30%	700 +100/-50	77,9 dB(A) @3750 /min ⁻¹
181	I/M.BENZ/B200CGI/A200T	>2012	270910	1.6 - 16V	0,30%	700 +100/-50	77,9 dB(A) @3750 /min ⁻¹
20244	I/M.BENZ/B200FF	>2016	270910	1.6 - 16V	0,30%	700 +100/ -50	81,1 dB(A) @3975 /min ⁻¹
18855	I/M.BENZ/B200FF	>2016	270910	1.6 - 16V	0,30%	700 +100/-50	81,1 dB(A) @3975 /min ⁻¹
16816	I/M.BENZ/B200FF	>2015	270910	1.6 - 16V	0,30%	700 +100/-50	81,1 dB(A) @3975 /min ⁻¹
17859	I/M.BENZ/C 180	>2015	274910	1.6 - 16V	0,30%	700 ± 100	79,1 dB(A) @3750 /min ⁻¹
20504	I/M.BENZ/C 180 FF	>2017	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
18162	I/M.BENZ/C 180 FF	>2015	274910	1.6 - 16V	0,30%	750 +50/-100	78,8 dB(A) @3975 /min ⁻¹
20507	I/M.BENZ/C 250	>2017	274920	2.0 - 16V	0,30%	750 +50/-100	80,3 dB(A) @3750 /min ⁻¹
18139	I/M.BENZ/C 250	>2015	274920	2.0 - 16V	0,30%	750 +50/-100	79,9 dB(A) @3750 /min ⁻¹
16103	I/M.BENZ/C180	>2014	274910	1.6 - 16V	0,30%	700 ± 100	79,1 dB(A) @3750 /min ⁻¹
14297	I/M.BENZ/C180 TURBO	>2012	274910	1.6 - 16V	0,30%	700 ± 100	76,1 dB(A) @3750 /min ⁻¹
321	I/M.BENZ/C180 TURBO/C	>2012	274910	1.6 - 16V	0,30%	700 ± 100	76,1 dB(A) @3750 /min ⁻¹
761	I/M.BENZ/C180 TURBO/CGIT	>2012	274910	1.6 - 16V	0,30%	700 ± 100	76,1 dB(A) @3750 /min ⁻¹
301	I/M.BENZ/C180 TURBO/T	>2012	274910	1.6 - 16V	0,30%	700 ± 100	76,1 dB(A) @3750 /min ⁻¹
2582	I/M.BENZ/C180/COUPE	>2016	274910	1.6 - 16V	0,30%	750 +50/-150	78,8 dB(A) @3975 /min ⁻¹
23706	I/M.BENZ/C180/COUPE	>2017	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
22829	I/M.BENZ/C180/COUPE	>2017	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
20575	I/M.BENZ/C180/COUPE	>2017	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
20527	I/M.BENZ/C180/COUPE	>2017	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹



Mercedes-Benz

Solic INFC	Marca/modelo	Ano	Motor	CO ML (%)	M.Lenta (l/min)	NÍVEL MÁXIMO DE EMISSÃO SONORA PARA FISCALIZAÇÃO, CONFORME NBR 9714
23806	I/M.BENZ/C180/COUPE	>2019	264915 1.5 - 16V	0,30%	740 ±50	79,7 dB(A) @3750 /min ⁻¹
18353	I/M.BENZ/C180/TO	>2016	274910 1.6 - 16V	0,30%	750 +50/-150	78,8 dB(A) @3975 /min ⁻¹
17384	I/M.BENZ/C180/TO	>2015	274910 1.6 - 16V	0,30%	750 +50/-150	78,7 dB(A) @3975 /min ⁻¹
16784	I/M.BENZ/C180/TO	>2014	274910 1.6 - 16V	0,30%	750 +50/-150	78,7 dB(A) @3975 /min ⁻¹
23575	I/M.BENZ/C180FF	>2018	274910 1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
16738	I/M.BENZ/C180TURBOCOUPE	>2014	274910 1.6 - 16V	0,30%	750 +50/-150	77,5 dB(A) @3975 /min ⁻¹
23579	I/M.BENZ/C200	>2018	264915 1.5 - 16V	0,30%	650 ±50	78,9 dB(A) @3750 /min ⁻¹
17763	I/M.BENZ/C200	>2015	274920 2.0 - 16V	0,30%	750 -150 +50	79,9 dB(A) @3750 /min ⁻¹
16312	I/M.BENZ/C200	>2014	274920 2.0 - 16V	0,30%	750 -150 +50	79,9 dB(A) @3750 /min ⁻¹
16134	I/M.BENZ/C200	>2014	274920 2.0 - 16V	0,30%	750 -150 +50	79,9 dB(A) @3750 /min ⁻¹
16561	I/M.BENZ/C250	>2014	274920 2.0 - 16V	0,30%	750 +50/-100	79,9 dB(A) @3750 /min ⁻¹
16137	I/M.BENZ/C250	>2014	274920 2.0 - 16V	0,30%	750 +50/-100	79,9 dB(A) @3750 /min ⁻¹
20559	I/M.BENZ/C250/COUPE	>2016	274920 2.0 - 16V	0,30%	750 +50/-100	80,3 dB(A) @3750 /min ⁻¹
19035	I/M.BENZ/C250/COUPE	>2016	274920 2.0 - 16V	0,30%	750 +50/-100	79,9 dB(A) @3750 /min ⁻¹
2428	I/M.BENZ/C250/COUPE	>2016	274920 2.0 - 16V	0,30%	750 +50/-100	79,9 dB(A) @3750 /min ⁻¹
23576	I/M.BENZ/C300	>2018	264920 2.0 - 16V	0,30%	650 ±50	78,0 dB(A) @4000 /min ⁻¹
20508	I/M.BENZ/C300	>2016	274920 2.0 - 16V	0,30%	750 +50/-100	80,7 dB(A) @3750 /min ⁻¹
19104	I/M.BENZ/C300	>2016	274920 2.0 - 16V	0,30%	750 +50/-100	83,0 dB(A) @3750 /min ⁻¹
23224	I/M.BENZ/C300/CA	>2019	264920 2.0 - 16V	0,30%	740 +/-50	77,3 dB(A) @3750 /min ⁻¹
19103	I/M.BENZ/C300/CA /1	>2016	274920 2.0 - 16V	0,30%	750 +50/-100	80,7 dB(A) @3750 /min ⁻¹
23223	I/M.BENZ/C300/CO	>2019	264920 2.0 - 16V	0,30%	740 +/-50	77,3 dB(A) @3750 /min ⁻¹
2900	I/M.BENZ/C300/CO	>2016	274920 2.0 - 16V	0,30%	750 +50/-100	80,7 dB(A) @3750 /min ⁻¹
20506	I/M.BENZ/C300/ES	>2017	274920 2.0 - 16V	0,30%	750 +50/-100	80,7 dB(A) @3750 /min ⁻¹
17413	I/M.BENZ/C450AMG4M	>2015	276823 3.0 - 24V	0,30%	620 ± 100	79,9 dB(A) @3750 /min ⁻¹
23222	I/M.BENZ/C63 AMG	>2018	177980 4.0 - 32V	0,30%	680 ±50	90,0 dB(A) @3750 /min ⁻¹
16889	I/M.BENZ/C63 AMG	>2014	177980 4.0 - 32V	0,30%	700 ± 100	97,9 dB(A) @3750 /min ⁻¹
23220	I/M.BENZ/C63 AMGS	>2018	177980 4.0 - 32V	0,30%	680 ±50	90,0 dB(A) @3750 /min ⁻¹
16908	I/M.BENZ/C63 AMGS	>2014	177980 4.0 - 32V	0,30%	700 ± 100	97,9 dB(A) @3750 /min ⁻¹
19379	I/M.BENZ/C63AMG	>2016	177980 4.0 - 32V	0,30%	700 ± 150	97,9 dB(A) @3750 /min ⁻¹
14115	I/M.BENZ/C63AMG COUPÉ BS	>2012	156982 6.2 - 32V	0,30%	600 ± 100	95,5 dB(A) @3750 /min ⁻¹
19378	I/M.BENZ/C63AMGS	>2016	177980 4.0 - 32V	0,30%	700 ± 150	97,9 dB(A) @3750 /min ⁻¹
15183	I/M.BENZ/CLA 200	>2013	270910 1.6 - 16V	0,30%	700 +100/-50	77,3 dB(A) @3750 /min ⁻¹
14926	I/M.BENZ/CLA 200	>2012	270910 1.6 - 16V	0,30%	700 +100/-50	77,3 dB(A) @3750 /min ⁻¹
14962	I/M.BENZ/CLA 250	>2013	270910 1.6 - 16V	0,30%	700 +100/-50	77,3 dB(A) @3750 /min ⁻¹
16099	I/M.BENZ/CLA 250 4M	>2014	270920 2.0 - 16V	0,30%	700 -50+100	77,3 dB(A) @3750 /min ⁻¹
2001	I/M.BENZ/CLA 250/4M	>2013	270910 1.6 - 16V	0,30%	700 +100/-50	77,3 dB(A) @3750 /min ⁻¹
21078	I/M.BENZ/CLA180	>2017	270910 1.6 - 16V	0,30%	700 +100/-50	77,2 dB(A) @3975 /min ⁻¹
20137	I/M.BENZ/CLA200FF	>2016	274910 1.6 - 16V	0,30%	750 +50/-150	77,2 dB(A) @3975 /min ⁻¹
18840	I/M.BENZ/CLA200FF	>2016	270910 1.6 - 16V	0,30%	700 +100/-50	77,2 dB(A) @3975 /min ⁻¹
17123	I/M.BENZ/CLA200FF	>2014	270910 1.6 - 16V	0,30%	700 +100/-50	77,2 dB(A) @3975 /min ⁻¹
23647	I/M.BENZ/CLA250	>2019	260920 2.0 - 16V	0,30%	700 ±50	78,0 dB(A) @3750 /min ⁻¹
23621	I/M.BENZ/CLA250	>2019	260920 2.0 - 16V	0,30%	700 ±50	78,0 dB(A) @3750 /min ⁻¹
17886	I/M.BENZ/CLA250 4M	>2015	270920 2.0 - 16V	0,30%	700 +100/-50	77,3 dB(A) @3750 /min ⁻¹
18115	I/M.BENZ/CLA45 AMG4MATIC	>2015	133980 2.0 - 16V	0,30%	750 ±100	108,4 dB(A) @3750 /min ⁻¹
16098	I/M.BENZ/CLA45AMG 4MATIC	>2013	133980 2.0 - 16V	0,30%	700 ±100	106,0 dB(A) @3750 /min ⁻¹
16098	I/M.BENZ/CLA45AMG 4MATIC	>2014	133980 2.0 - 16V	0,30%	700 ±100	106,0 dB(A) @3750 /min ⁻¹
15316	I/M.BENZ/CLA45AMG 4MATIC	>2013	133980 2.0 - 16V	0,30%	700 ±100	106,0 dB(A) @3750 /min ⁻¹
19059	I/M.BENZ/CLA45AMG4MATC	>2015	133980 2.0 - 16V	0,30%	750 ±100	108,4 dB(A) @3750 /min ⁻¹
16341	I/M.BENZ/CLS 400	>2014	276820 3.0 - 24V	0,30%	600 ± 100	79,2 dB(A) @3750 /min ⁻¹
23525	I/M.BENZ/CLS 450 4MATIC	>2018	256930 3.0 - 24V	0,30%	520 ±50	86,3 dB(A) @3750 /min ⁻¹
15072	I/M.BENZ/CLS 63AMG SB/	>2013	157981 5.5 - 32V	0,30%	600 ± 100	95,7 dB(A) @3750 /min ⁻¹
19304	I/M.BENZ/CLS400	>2015	276820 3.0 - 24V	0,30%	600 ± 100	77,8 dB(A) @3750 /min ⁻¹
19140	I/M.BENZ/CLS63AMG	>2016	157981 5.5 - 32V	0,30%	600 ± 100	95,7 dB(A) @3750 /min ⁻¹
15071	I/M.BENZ/CLS63AMG	>2013	157981 5.5 - 32V	0,30%	600 ± 100	95,7 dB(A) @3750 /min ⁻¹
15350	I/M.BENZ/E 250 BLUE EF/	>2013	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
2042	I/M.BENZ/E 250 BLUE EF/A	>2013	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
2041	I/M.BENZ/E 250 BLUE EF/C	>2013	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
2043	I/M.BENZ/E 250 BLUE EF/G	>2013	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
18170	I/M.BENZ/E 250 BLUEEF	>2015	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
18768	I/M.BENZ/E 250 BLUEEF/CA /1,CO	>2016	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
14018	I/M.BENZ/E 350 CGI	>2012	276957 3.5 - 24V	0,30%	610 +100/-80	81,0 dB(A) @3750 /min-1
1842	I/M.BENZ/E 350 CGI/CA	>2013	276957 3.5 - 24V	0,30%	620 +100/-80	80,6 dB(A) @4200 /min-1
1081	I/M.BENZ/E 350 CGI/VR 4	>2013	276957 3.5 - 24V	0,30%	620 +100/-80	80,6 dB(A) @4200 /min-1
941	I/M.BENZ/E 350 CGI/VR4	>2013	276957 3.5 - 24V	0,30%	620 +100/-80	80,6 dB(A) @4200 /min-1
15624	I/M.BENZ/E 400	>2013	276820 3.0 - 24V	0,30%	610 ±100	80,1 dB(A) @3750 /min-1
2193	I/M.BENZ/E 400/CA	>2014	276820 3.0 - 24V	0,30%	610 ±100	80,1 dB(A) @3750 /min-1
14843	I/M.BENZ/E250 BLUEEF	>2012	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
1841	I/M.BENZ/E250 BLUEEF/CA	>2013	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
1201	I/M.BENZ/E250 BLUEEF/CO	>2013	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹
1901	I/M.BENZ/E250 BLUEEF/GRD	>2013	274920 2.0 - 16V	0,30%	750 -150 +50	78,7 dB(A) @3750 /min ⁻¹



Mercedes-Benz

Solic INFC	Marca/modelo	Ano	Motor	CO ML (%)	M.Lenta (1/min)	NÍVEL MÁXIMO DE EMISSÃO SONORA PARA FISCALIZAÇÃO, CONFORME NBR 9714	
18940	I/M.BENZ/E250// /1,AVN /1,EXC /1	>2016	274920	2.0 - 16V	0,30%	750 -150 +50	78,0 dB(A) @3750 /min ⁻¹
19356	I/M.BENZ/E250// /2,AVN /2,EXC /2	>2016	274920	2.0 - 16V	0,30%	750 -150 +50	78,0 dB(A) @3750 /min ⁻¹
23421	I/M.BENZ/E300	>2018	264920	2.0 - 16V	0,30%	740 ±50	77,3 dB(A) @3750 /min ⁻¹
23369	I/M.BENZ/E300	>2018	264920	2.0 - 16V	0,30%	740 ±50	77,3 dB(A) @3750 /min ⁻¹
21456	I/M.BENZ/E300/CA	>2017	274920	2.0 - 16V	0,30%	750 +50/-100	79,7 dB(A) @3750 /min ⁻¹
20925	I/M.BENZ/E300/CO	>2017	274920	2.0 - 16V	0,30%	750 +50/-100	79,7 dB(A) @3750 /min ⁻¹
15070	I/M.BENZ/E63AMG	>2013	157981	5.5 - 32V	0,30%	600 ±100	89,7 dB(A) @3750 /min ⁻¹
15070	I/M.BENZ/E63AMG/	>2013	157981	5.5 - 32V	0,30%	600 ±100	89,7 dB(A) @3750 /min ⁻¹
14724	I/M.BENZ/G 63 AMG	>2012	157984	5.5 - 32V	0,30%	600 ±100	96,4 dB(A) @3750 /min ⁻¹
18468	I/M.BENZ/G63AMG	>2013	157984	5.5 - 32V	0,30%	600 ±100	96,4 dB(A) @3750 /min ⁻¹
14658	I/M.BENZ/GL 500 CGI/	>2012	278928	4.7 - 32V	0,30%	600 ±100	85,5 dB(A) @3750 /min-1
16639	I/M.BENZ/GL500 BLUEEF	>2014	278928	4.7 - 32V	0,30%	600 ±100	89,0 dB(A) @3750 /min-1
16864	I/M.BENZ/GL63 AMG	>2014	157982	5.5 - 32V	0,30%	600 ± 100	93,4 dB(A) @3750 /min ⁻¹
16560	I/M.BENZ/GLA 200	>2014	270910	1.6 - 16V	0,30%	700 +100/-50	77,5 dB(A) @3975 /min ⁻¹
16267	I/M.BENZ/GLA 200	>2014	270910	1.6 - 16V	0,30%	700 +100/-50	77,5 dB(A) @3975 /min ⁻¹
18479	I/M.BENZ/GLA 250	>2015	270920	2.0 - 16V	0,30%	700 -50+100	82,5 dB(A) @3750 /min ⁻¹
16342	I/M.BENZ/GLA 250 4M	>2014	270920	2.0 - 16V	0,30%	700 -50+100	83,3 dB(A) @3750 /min ⁻¹
16467	I/M.BENZ/GLA 45 AMG 4M	>2014	133980	2.0 - 16V	0,30%	700 ± 100	102,2 dB(A) @3750 /min ⁻¹
18880	I/M.BENZ/GLA200FF	>2016	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
17069	I/M.BENZ/GLA200FF	>2015	270910	1.6 - 16V	0,30%	700 +100/-50	77,5 dB(A) @3750 /min ⁻¹
23578	I/M.BENZ/GLA200FF/ /1,STY /2	>2018	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
2521	I/M.BENZ/GLA200FF/STY	>2016	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
23577	I/M.BENZ/GLA250	>2019	270920	2.0 - 16V	0,30%	700 +100/-50	82,5 dB(A) @3750 /min ⁻¹
16973	I/M.BENZ/GLA250	>2015	270920	2.0 - 16V	0,30%	700 +100/-50	82,5 dB(A) @3750 /min ⁻¹
16600	I/M.BENZ/GLA250	>2014	270920	2.0 - 16V	0,30%	700 +100/-50	82,5 dB(A) @3750 /min ⁻¹
19355	I/M.BENZ/GLA2504M	>2016	270920	2.0 - 16V	0,30%	700 +100/-50	83,3 dB(A) @3750 /min ⁻¹
17436	I/M.BENZ/GLA45 AMG 4M	>2015	133980	2.0 - 16V	0,30%	700 ±100	102,2 dB(A) @3750 /min ⁻¹
18116	I/M.BENZ/GLA45 AMG4M	>2014	133980	2.0 - 16V	0,30%	750 ±100	101,2 dB(A) @3750 /min ⁻¹
19060	I/M.BENZ/GLA45AMG4M	>2016	133980	2.0 - 16V	0,30%	750 ±100	101,2 dB(A) @3750 /min ⁻¹
18318	I/M.BENZ/GLC 250 4MATIC	>2015	274920	2.0 - 16V	0,30%	750 +50/-150	80,1 dB(A) @3750 /min ⁻¹
20445	I/M.BENZ/GLC2504MATIC	>2016	274920	2.0 - 16V	0,30%	750 +50/-150	80,1 dB(A) @3750 /min ⁻¹
20445	I/M.BENZ/GLC2504MATIC/CO	>2017	274920	2.0 - 16V	0,30%	750 +50/-150	80,1 dB(A) @3750 /min ⁻¹
19628	I/M.BENZ/GLC2504MATIC/CO	>2016	274920	2.0 - 16V	0,30%	750 +50/-150	80,1 dB(A) @3750 /min ⁻¹
23544	I/M.BENZ/GLC300 4M CO	>2018	264920	2.0 - 16V	0,30%	740 ±50	80,8 dB(A) @3750 /min ⁻¹
23783	I/M.BENZ/GLC300 4M CO	>2019	264920	2.0 - 16V	0,30%	740 ±50	80,8 dB(A) @3750 /min ⁻¹
18090	I/M.BENZ/GLE 63 AMG	>2015	157982	5.5 - 32V	0,30%	750 ±200	91,0 dB(A) @3750 /min ⁻¹
18091	I/M.BENZ/GLE 63 AMG/CO	>2015	157982	5.5 - 32V	0,30%	750 ±200	95,8 dB(A) @3750 /min-1
18581	I/M.BENZ/GLE400/CO	>2016	276821	3.0 - 24V	0,30%	610 +50/-100	79,9 dB(A) @3750 /min-1
17978	I/M.BENZ/GLE400/CO	>2015	276821	3.0 - 24V	0,30%	610 ±100	79,9 dB(A) @3750 /min-1
18832	I/M.BENZ/GLE450AMG4M/CO	>2016	276821	3.0 - 24V	0,30%	610 +50/-100	88,1 dB(A) @3750 /min-1
2565	I/M.BENZ/GLE450AMG4M/CO	>2016	276821	3.0 - 24V	0,30%	610 +50/-100	88,1 dB(A) @3750 /min-1
14356	I/M.BENZ/GLK 300 CGI	>2012	276957	3.5 - 24V	0,30%	620 +100/-80	80,6 dB(A) @4200 /min-1
19375	I/M.BENZ/GLS500	>2016	278928	4.7 - 32V	0,30%	650 +150/-100	87,7 dB(A) @3750 /min ⁻¹
19142	I/M.BENZ/GLS63AMG	>2016	157982	5.5 - 32V	0,30%	750 ± 200	89,5 dB(A) @3750 /min ⁻¹
20997	I/M.BENZ/MAYBACH S500	>2017	278929	5.0 - 32V	0,30%	650 ±100	77,4 dB(A) @3750 /min ⁻¹
21947	I/M.BENZ/MAYBACH S650	>2018	279980	6.0 - 48V	0,30%	590 +/-100	87,2 dB(A) @3750 /min ⁻¹
14751	I/M.BENZ/ML350BLUETEC	>2012	642826	3.0 - 24V	0,30%	700 ± 150	79,0 dB(A) @2700 /min ⁻¹
1061	I/M.BENZ/ML350BLUETEC/GL	>2013	642826	3.0 - 24V	0,30%	700 ± 150	79,0 dB(A) @2700 /min ⁻¹
16859	I/M.BENZ/ML63 AMG	>2014	157982	5.5 - 32V	0,30%	600 ± 100	91,0 dB(A) @3750 /min ⁻¹
16910	I/M.BENZ/ML63 AMGP30	>2014	157982	5.5 - 32V	0,30%	600 ± 100	91,0 dB(A) @3750 /min ⁻¹
14197	I/M.BENZ/ML63AMG	>2012	157982	5.5 - 32V	0,30%	600 ± 100	91,0 dB(A) @3750 /min ⁻¹
14407	I/M.BENZ/ML63AMG P30	>2012	157982	5.5 - 32V	0,30%	600 ± 100	91,0 dB(A) @3750 /min ⁻¹
201	I/M.BENZ/ML63AMG P30/GL	>2012	157982	5.5 - 32V	0,30%	600 ± 100	91,0 dB(A) @3750 /min ⁻¹
15314	I/M.BENZ/S 500 L	>2013	278929	5.0 - 32V	0,30%	650 ±100	79,1 dB(A) @3750 /min ⁻¹
15333	I/M.BENZ/S 63 L AMG 4M	>2013	157985	5.5 - 32V	0,30%	650 +150/-100	84,5 dB(A) @3750 /min ⁻¹
18217	I/M.BENZ/S 63 L AMG 4M C	>2015	157985	5.5 - 32V	0,30%	650 +150/-100	84,5 dB(A) @3750 /min ⁻¹
2190	I/M.BENZ/S 63 L AMG 4M/C	>2014	157985	5.5 - 32V	0,30%	650 +150/-100	84,5 dB(A) @3750 /min ⁻¹
16283	I/M.BENZ/S 65 L AMG	>2014	279980	6.0 - 48V	0,30%	590 ± 100	95,0 dB(A) @3750 /min ⁻¹
18820	I/M.BENZ/S500L	>2013	278929	5.0 - 32V	0,30%	650 ±100	77,6 dB(A) @3750 /min ⁻¹
16408	I/M.BENZ/S500L	>2014	278929	5.0 - 32V	0,30%	650 ±100	79,1 dB(A) @3750 /min ⁻¹
21981	I/M.BENZ/S560L	>2018	176980	4.0 - 32V	0,30%	680 ±50	75,0 dB(A) @3750 /min ⁻¹
16416	I/M.BENZ/S600L	>2014	277908	6.0 - 48V	0,30%	590 ± 100	89,2 dB(A) @3750 /min ⁻¹
21798	I/M.BENZ/S63LAMG4M	>2018	177980	4.0 - 32V	0,30%	680 +250/-100	90,2 dB(A) @3750 /min ⁻¹
22056	I/M.BENZ/S63LAMG4M/C	>2018	177980	4.0 - 32V	0,30%	680 ±50	90,7 dB(A) @3750 /min ⁻¹
17956	I/M.BENZ/S65AMG/CO	>2015	279981	6.0 - 48V	0,30%	600 ± 100	95,0 dB(A) @3750 /min ⁻¹
14413	I/M.BENZ/SL 350CGI	>2012	276954	3.5 - 24V	0,30%	660 ± 100	79,3 dB(A) @3750 /min ⁻¹
16153	I/M.BENZ/SL 400	>2014	276825	3.0 - 24V	0,30%	620 ± 100	83,0 dB(A) @3750 /min ⁻¹
14723	I/M.BENZ/SL 65 AMG	>2012	279981	6.0 - 48V	0,30%	600 ± 100	94,1 dB(A) @3750 /min ⁻¹
18990	I/M.BENZ/SL400	>2016	276825	3.0 - 24V	0,30%	620 ± 100	83,0 dB(A) @3750 /min ⁻¹
18205	I/M.BENZ/SL400	>2015	276825	3.0 - 24V	0,30%	620 ± 100	83,0 dB(A) @3750 /min ⁻¹



Mercedes-Benz

Solic INFC	Marca/modelo	Ano	Motor	CO ML (%)	M.Lenta (l/min)	NÍVEL MÁXIMO DE EMISSÃO SONORA PARA FISCALIZAÇÃO, CONFORME NBR 9714	
16797	I/M.BENZ/SL63 AMG	>2014	157983	5.5 - 32V	0,30%	600 ± 100	91,0 dB(A) @3750 /min ⁻¹
14594	I/M.BENZ/SL63 AMG P30	>2012	157983	5.5 - 32V	0,30%	600 ± 100	92,8 dB(A) @3750 /min ⁻¹
19139	I/M.BENZ/SL63AMG	>2016	157983	5.5 - 32V	0,30%	600 ± 100	102,0 dB(A) @3750 /min ⁻¹
14231	I/M.BENZ/SL63AMG	>2012	157983	5.5 - 32V	0,30%	600 ± 100	93,4 dB(A) @3750 /min ⁻¹
18481	I/M.BENZ/SLC300	>2016	274920	2.0 - 16V	0,30%	750 +50/-100	84,7 dB(A) @3750 /min ⁻¹
14362	I/M.BENZ/SLK 250CGI	>2012	271861	1.8 - 16V	0,30%	700 ± 150	79,0 dB(A) @3750 /min ⁻¹
14295	I/M.BENZ/SLK 55 AMG	>2012	152980	5.5 - 32V	0,30%	600 ± 100	92,8 dB(A) @3750 /min ⁻¹
17478	I/M.BENZ/SLK300	>2015	274920	2.0 - 16V	0,30%	750 +50/-100	84,7 dB(A) @3750 /min ⁻¹
16821	I/M.BENZ/SLK55AMG	>2014	152980	5.5 - 32V	0,30%	600 ± 100	92,8 dB(A) @3750 /min ⁻¹
15060	I/M.BENZ/SLK 63 AMG BS	>2013	159980	6.2 - 32V	0,30%	680 ± 100	95,9 dB(A) @3750 /min ⁻¹
18601	I/M.BENZ/VITO T 119	>2016	274920	2.0 - 16V	0,30%	750 +50/-100	84,2 dB(A) @3750 /min ⁻¹
17401	I/M.BENZ/VITO T 119	>2015	274920	2.0 - 16V	0,30%	750 +50/-100	84,2 dB(A) @3750 /min ⁻¹
17195	I/M.BENZ/VITO T 119	>2015	274920	2.0 - 16V	0,30%	750 +50/-100	83,8 dB(A) @2850 /min ⁻¹
22848	I/M.BENZ/VITO T121 AT	>2018	274920	2.0 - 16V	0,30%	750 +50/-100	78,3 dB(A) @3750 /min ⁻¹
16038	I/SMART/FORTWO	>2014	3B21-62	1.0 - 12V	0,30%	950 ± 100	85,1 dB(A) @3500 /min ⁻¹
16005	I/SMART/FORTWO CO 52 MHD	>2014	3B21-52	1.0 - 12V	0,30%	950 ± 100	86,0 dB(A) @3500 /min ⁻¹
2109	I/SMART/FORTWO/CA62	>2014	3B21-62	1.0 - 12V	0,30%	950 ± 100	85,1 dB(A) @3500 /min ⁻¹
2108	I/SMART/FORTWO/CO62	>2014	3B21-62	1.0 - 12V	0,30%	950 ± 100	85,1 dB(A) @3500 /min ⁻¹
20375	M.BENZ/C 180 FF	>2017	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
18163	M.BENZ/C 180 FF	>2015	274910	1.6 - 16V	0,30%	750 +50/-100	78,8 dB(A) @3975 /min ⁻¹
20368	M.BENZ/C 250	>2014	274920	2.0 - 16V	0,30%	750 +50/-100	80,3 dB(A) @3750 /min ⁻¹
18140	M.BENZ/C 250	>2014	274920	2.0 - 16V	0,30%	750 +50/-100	79,9 dB(A) @3750 /min ⁻¹
22815	M.BENZ/C180	>2018	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
22188	M.BENZ/C180	>2018	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
22816	M.BENZ/C180FF	>2018	274910	1.6 - 16V	0,30%	750 +50/-150	79,3 dB(A) @3750 /min ⁻¹
22428	M.BENZ/C200	>2018	264915	1.5 - 16V	0,30%	650 ±50	78,9 dB(A) @3750 /min ⁻¹
18286	M.BENZ/C200	>2014	274920	2.0 - 16V	0,30%	750 -150 +50	79,9 dB(A) @3750 /min ⁻¹
22103	M.BENZ/C300	>2018	264920	2.0 - 16V	0,30%	650 ±50	78,0 dB(A) @4000 /min ⁻¹
20047	M.BENZ/C300	>2016	274920	2.0 - 16V	0,30%	750 +50/-100	80,7 dB(A) @3750 /min ⁻¹
20233	M.BENZ/GLA 250	>2016	270920	2.0 - 16V	0,30%	700 -50+100	82,5 dB(A) @3750 /min ⁻¹
18480	M.BENZ/GLA 250	>2015	270920	2.0 - 16V	0,30%	700 -50+100	82,5 dB(A) @3750 /min ⁻¹
20199	M.BENZ/GLA200FF	>2016	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
18881	M.BENZ/GLA200FF	>2016	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
2785	M.BENZ/GLA200FF/NIGHT	>2018	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
2522	M.BENZ/GLA200FF/STY	>2016	270910	1.6 - 16V	0,30%	700 +100/-50	77,7 dB(A) @3750 /min ⁻¹
Mercedes-Benz do Brasil - Antes do INFOSERV							
	I/M.BENZ C 180	>1991	111946				80 dB(A) @4000 /min-1
	I/M.BENZ C 220	>1991	111961				82 dB(A) @4125 /min-1
	I/M.BENZ C 240	>1994	112910				81 dB(A) @4200 /min-1
	I/M.BENZ C 280	>1994	104941				85 dB(A) @4200 /min-1
	I/M.BENZ C 180	>1996	112951				80 dB(A) @3950 /min-1
	I/M.BENZ E 320	>1998	112946				84 dB(A) @4125 /min-1
	I/M.BENZ E 240	>1998	112913				79 dB(A) @4200 /min-1
	M.BENZ A 160	>1999	M166E16				80,1 dB(A) @3940 /min-1
	M.BENZ A 190 (câmbio Mecânico)	>1999	M166E19				84,1 dB(A) @3500 /min-1
	M.BENZ A 190 (câmbio Automático)	>1999	M166E19				87,3 dB(A) @4000 /min-1
	I/M.BENZ E 420	>2000	119985				84 dB(A) @4200 /min-1
	I/M.BENZ E 430	>2001	113940				80 dB(A) @4000 /min-1
	I/M.BENZ CLK 320	>2001	112946				85 dB(A) @4200 /min-1
	I/M.BENZ ML 320	>2001	112942				81 dB(A) @4200 /min-1
	I/M.BENZ ML 430	>2001	113942				83 dB(A) @4000 /min-1
	I/M.BENZ C 240	>2002	112912				80 dB(A) @4125 /min-1
	I/M.BENZ C 230 K	>2002	271948				87 dB(A) @4000 /min-1
	I/M.BENZ R 500	>2002	273963				82 dB(A) @4500 /min-1
	I/M.BENZ SL 55 AMG	>2002	113992				85 dB(A) @3800 /min-1
	I/M.BENZ SL 600	>2002	275954				85 dB(A) @3750 /min-1
	I/M.BENZ SLK 230	>2003	111983				84 dB(A) @4125 /min-1
	I/M.BENZ E 320	>2003	112949				77 dB(A) @4200 /min-1
	I/M.BENZ C 320	>2003	112946				85 dB(A) @4200 /min-1
	I/M.BENZ E 55 AMG	>2003	113990				83 dB(A) @3800 /min-1
	I/M.BENZ C 180 K	>2003	271946				78 dB(A) @3900 /min-1
	I/M.BENZ CLS 500	>2004	113967				80 dB(A) @4200 /min-1
	I/M.BENZ SLK 200 K	>2004	271944				78 dB(A) @4125 /min-1
	I/M.BENZ SLK 55 AMG	>2004	113989				88 dB(A) @3800 /min-1
	I/M.BENZ SL 350	>2005	112973				87 dB(A) @4200 /min-1
	I/M.BENZ C 200 K	>2005	271940				81 dB(A) @4000 /min-1
	I/M.BENZ C 200 K T	>2005	271940				81 dB(A) @4000 /min-1
	I/M.BENZ C 230 K	>2005	272920				76 dB(A) @4000 /min-1
	I/M.BENZ C 350 T	>2005	272960				82 dB(A) @4500 /min-1
	I/M.BENZ CLK 350 CA	>2005	272960				84 dB(A) @4500 /min-1
	I/M.BENZ E 350	>2005	272964				79 dB(A) @4500 /min-1
	I/M.BENZ E 350 T	>2005	272964				79 dB(A) @4500 /min-1



Mercedes-Benz

Solic INFC	Marca/modelo	Ano	Motor	CO ML (%)	M.Lenta (1/min)	NÍVEL MÁXIMO DE EMISSÃO SONORA PARA FISCALIZAÇÃO, CONFORME NBR 9714
	I/M.BENZ CLK 350	>2005	272960			84 dB(A) @4500 /min-1
	I/M.BENZ B 200	>2005	266960			83 dB(A) @4125 /min-1
	I/M.BENZ CLS 350	>2005	272964			80 dB(A) @4500 /min-1
	I/M.BENZ G 55 AMG	>2005	113993			88 dB(A) @3300 /min-1
	I/M.BENZ ML 350	>2005	272967			82 dB(A) @4500 /min-1
	I/M.BENZ S 500	>2005	273961			82 dB(A) @4500 /min-1
	I/M.BENZ B 200 T	>2005	266980			80 dB(A) @3640 /min-1
	I/M.BENZ CLK 500	>2006	273967			83 dB(A) @4500 /min-1
	I/M.BENZ CLK 500 CA	>2006	273967			83 dB(A) @4500 /min-1
	I/M.BENZ E 280	>2006	272943			80 dB(A) @4500 /min-1
	I/M.BENZ E 280 T	>2006	272943			80 dB(A) @4500 /min-1
	I/M.BENZ S 350	>2006	272965			78 dB(A) @4500 /min-1
	I/M.BENZ CLS 500	>2006	273960			80 dB(A) @4500 /min-1
	I/M.BENZ E 500	>2006	273960			81 dB(A) @4500 /min-1
	I/M.BENZ E 500 T	>2006	273960			81 dB(A) @4500 /min-1
	I/M.BENZ E 63 AMG	>2006	156983			86 dB(A) @3500 /min-1
	I/M.BENZ E 63 AMG T	>2006	156983			86 dB(A) @3500 /min-1
	I/M.BENZ S 600	>2006	275953			84 dB(A) @3750 /min-1
	I/M.BENZ S 65 AMG	>2006	275982			83 dB(A) @3750 /min-1
	I/M.BENZ SL 500	>2006	273965			85 dB(A) @4500 /min-1
	I/M.BENZ SLR	>2006	155980			100 dB(A) @4200 /min-1
	I/M.BENZ CLS 63 AMG	>2006	156983			86 dB(A) @3500 /min-1
	I/M.BENZ ML 63 AMG	>2006	156980			84,2 dB(A) @4500 /min-1
	I/M.BENZ CL 600	>2007	275953			90,7 dB(A) @3750 /min-1
	I/M.BENZ CL 65 AMG	>2007	275982			82,8 dB(A) @3750 /min-1
	I/M.BENZ C 200 K	>2007	271950			85 dB(A) @4125 /min-1
	I/M.BENZ C 200 K T	>2007	271950			85 dB(A) @4125 /min-1
	I/M.BENZ C 280	>2007	272947			80 dB(A) @4500 /min-1
	I/M.BENZ C 280 T	>2007	272947			80 dB(A) @4500 /min-1
	I/M.BENZ C 350	>2007	272961			79,3 dB(A) @4500 /min-1
	I/M.BENZ C 350 T	>2007	272961			79,3 dB(A) @4500 /min-1
	I/M.BENZ CL 63 AMG	>2007	156984			89 dB(A) @3300 /min-1
	I/M.BENZ S 63 AMG	>2007	156984			88 dB(A) @3300 /min-1
	I/M.BENZ SL 65 AMG	>2007	275981			87 dB(A) @3000 /min-1
	I/M.BENZ CL 500	>2007	273961			83 dB(A) @4500 /min-1
	I/M.BENZ ML 500	>2007	273963			83,4 dB(A) @4500 /min-1
	I/M.BENZ B 170	>2008	266940			80 dB(A) @4125 /min-1
	I/M.BENZ GLK 280	>2008	272948			81,9 dB(A) @4500 /min-1
	I/M.BENZ SLK 200 K	>2008	271954			78 dB(A) @4125 /min-1
	I/M.BENZ SLK 350	>2008	272969			84,8 dB(A) @4875 /min-1
	I/M.BENZ E 350	>2008	272980			79 dB(A) @4500 /min-1
	M.BENZ CLC 200 K	>2008	271957			79 dB(A) @4125 /min-1
	I/M.BENZ C 63 AMG	>2008	156985			93,2 dB(A) @4000 /min-1
	I/M.BENZ C 63 AMG T	>2008	156985			93,2 dB(A) @4000 /min-1
	I/SMART FORTWO 72	>2008	3B21-72			84 dB(A) @3500 /min-1
	I/M.BENZ SL 63 AMG	>2008	156981			98,3 dB(A) @5100 /min-1
	I/SMART FORTWO 52 MHD	>2008	3B21-52			89 dB(A) @3500 /min-1
	I/SMART FORTWO 62	>2008	3B21-62			88 dB(A) @3500 /min-1
	I/M.BENZ SL 65 AMG BS	>2009	275983			97 dB(A) @3750 /min-1
	I/M.BENZ E 500	>2009	273971			82 dB(A) @4500 /min-1
	I/M.BENZ C 200 CGI	>2010	271860			73 dB(A) @3937 /min-1
	I/M.BENZ C 200 CGI T	>2010	271860			73 dB(A) @3937 /min-1
	I/M.BENZ S 400 HYBRID	>2010	272974			78,9 dB(A) @4500 /min-1
	I/M.BENZ SLS 63 AMG	>2010	159980			91,4 dB(A) @3750 /min-1
	I/M.BENZ B 180	>2010	266940			80 dB(A) @4125 /min-1
	I/M.BENZ C 300	>2010	272947			80 dB(A) @4500 /min-1
	I/M.BENZ C 300 T	>2010	272947			80 dB(A) @4500 /min-1
	I/M.BENZ GLK 300	>2010	272948			81,9 dB(A) @4500 /min-1
	I/M.BENZ SL 350 SPORT	>2010	272968			83,7 dB(A) @4875 /min-1
	I/M.BENZ C 180 CGI	>2010	271820			72 dB(A) @3750 /min-1
	I/M.BENZ C 180 CGI T	>2010	271820			72 dB(A) @3750 /min-1
	I/M.BENZ C 250 CGI	>2011	271860			73 dB(A) @4125 /min-1
	I/M.BENZ C 250 CGI COUPE	>2011	271860			73 dB(A) @4125 /min-1
	I/M.BENZ C 250 CGI T	>2011	271860			73 dB(A) @4125 /min-1
	I/M.BENZ C 350 CGI	>2011	276957			82 dB(A) @4200 /min-1
	I/M.BENZ C 350 CGI COUPE	>2011	276957			82 dB(A) @4200 /min-1
	I/M.BENZ C 63 AMG COUPE	>2011	156985			93 dB(A) @4000 /min-1
	I/M.BENZ C63 AMG COUPE P30	>2011	156985			99 dB(A) @4000 /min-1
	I/M.BENZ CL 500 CGI	>2011	278920			78 dB(A) @3940 /min-1
	I/M.BENZ CL 63 AMG	>2011	157980			90,9 dB(A) @3750 /min-1
	I/M.BENZ CLS 500 CGI	>2011	278922			77 dB(A) @5000 /min-1
	I/M.BENZ E 500 CGI	>2011	278922			79 dB(A) @5000 /min-1
	I/M.BENZ E 500 CGI COUPE	>2011	278922			79 dB(A) @5000 /min-1
	I/M.BENZ E 500 CGI GUARD	>2011	278922			79 dB(A) @5000 /min-1
	I/M.BENZ E 500 CGI TOURING	>2011	278922			79 dB(A) @5000 /min-1



Mercedes-Benz

Solic INFC	Marca/modelo	Ano	Motor	CO ML (%)	M.Lenta (1/min)	NÍVEL MÁXIMO DE EMISSÃO SONORA PARA FISCALIZAÇÃO, CONFORME NBR 9714
	I/M.BENZ E 63 AMG	>2011	157981			90,3 dB(A) @3750 /min-1
	I/M.BENZ E 63 AMG T	>2011	157981			90,3 dB(A) @3750 /min-1
	I/M.BENZ S 500 CGI	>2011	278932			78 dB(A) @3940 /min-1
	I/M.BENZ S 63 AMG	>2011	157980			90,9 dB(A) @3750 /min-1
	I/M.BENZ SLS 63 AMGROADSTER	>2011	159980			92 dB(A) @3750 /min-1
	I/M.BENZ C 180 CGI COUPE	>2011	271820			72,3 dB(A) @3750 /min-1
	I/M.BENZ SLK 200 CGI	>2011	271861			77,1 dB(A) @4125 /min-1
	I/M.BENZ SLK 250 CGI	>2011	271861			81 dB(A) @5500 /min-1
	I/M.BENZ SLK 350 CGI	>2011	276956			83 dB(A) @4000 /min-1
	I/SMART FORTWO 75	>2011	3B21-75			83 dB(A) @3325 /min-1
	I/M.BENZ CLS 350 CGI	>2011	276957			80 dB(A) @4200 /min-1
	I/M.BENZ E 250 CGI	>2011	271860			71 dB(A) @4125 /min-1
	I/M.BENZ E 250 CGI COUPE	>2011	271860			71 dB(A) @4125 /min-1
	I/M.BENZ E 250 CGI T	>2011	271860			71 dB(A) @4125 /min-1
	I/M.BENZ E 350 CGI	>2011	276957			80,6 dB(A) @4200 /min-1
	I/M.BENZ E 350 CGI CA	>2011	276957			78 dB(A) @4200 /min-1
	I/M.BENZ E 350 CGI COUPE	>2011	276957			78 dB(A) @4200 /min-1
	I/M.BENZ E 350 CGI GUARD	>2011	276957			78 dB(A) @4200 /min-1
	I/M.BENZ E 350 CGI TOURING	>2011	276957			78 dB(A) @4200 /min-1
	I/M.BENZ C63AMG COUPÉ BS	>2012	156982			95,5 dB(A) @3750 /min-1
	I/M.BENZ C 180 TURBO	>2012	274910			76,1 dB(A) @3750 /min-1
	I/M.BENZ C 180 TURBO C	>2012	274910			76,1 dB(A) @3750 /min-1
	I/M.BENZ C 180 TURBO T	>2012	274910			76,1 dB(A) @3750 /min-1
	I/M.BENZ CLA200	>2012	270910			77,3 dB(A) @3750 /min-1
	I/M.BENZ ML63AMG P30	>2012	157982			91 dB(A) @3750 /min-1
	I/M.BENZ B200CGI	>2012	270910			77,9 dB(A) @3750 /min-1
	I/M.BENZ ML63AMG	>2012	157982			91 dB(A) @3750 /min-1
	I/M.BENZ SL63AMG	>2012	157983			102 dB(A) @3750 /min-1
	I/M.BENZ GLK 300	>2012	276957			81 dB(A) @3750 /min-1
	I/M.BENZ/SL63 AMG P30	>2012	157983			92,8 dB(A) @3750 /min-1
	I/M.BENZ GL 500 CGI	>2012	278928			85,5 dB(A) @3750 /min-1
	I/M.BENZ SL 350CGI	>2012	276954			79,3 dB(A) @3750 /min-1
	I/M.BENZ SL 63 AMG	>2012	157983			93,4 dB(A) @3750 /min-1
	I/M.BENZ SL 65 AMG	>2012	279981			94,1 dB(A) @3750 /min-1